

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2023

Version: 5.00 (replaces version 4.00)

Revision: 28.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier Neuburg Siliceous Earth

##### Safety Data Sheet

##### Voluntary safety data sheet:

This product is not a dangerous substance. Therefore, it does not require a safety data sheet. We are able to provide a data sheet on a voluntary basis in line with the 1907/2006 REACH regulation.

**Trade name:** SILLITIN V 85  
SILLITIN V 88  
SILLITIN N 75  
SILLITIN N 82  
SILLITIN N 85 / SILLITIN N 85 puriss  
SILLITIN N 87  
SILLITIN Z 86 / SILLITIN Z 86 puriss  
SILLITIN Z 89 / SILLITIN Z 89 puriss  
SILLIKOLLOID P 87 / SILLIKOLLOID P 87 puriss

##### CAS Number:

1020665-14-8

##### Registration number

Exempt from the requirement to register in accordance with Article V (7) of the 1907/2006 (REACH) regulation (EC).

(Natural substances, provided they have not been chemically modified)

##### Nanoform:

According to the REACH Regulation (EC) 1907/2006, the product is not defined as 'nanoform'.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Application of the substance / the mixture

As functional fillers for elastomers, plastics, paints and varnishes, adhesives, polishing and protective agents, welding electrodes, as well as in the construction and chemical industries.

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

HOFFMANN MINERAL GmbH  
Münchener Straße 75  
D - 86633 Neuburg/Donau  
Tel.: +49 (8431) 53-0  
www.hoffmann-mineral.com

Further information obtainable from: [info@hoffmann-mineral.com](mailto:info@hoffmann-mineral.com)

#### 1.4 Emergency telephone number:

+49 (0) 84 31 53-0

(Not available outside office hours!)

##### Emergency CONTACT (24-Hour-Number):

GBK/Infotrac ID 91785 : (USA domestic) 1 800 535 5053 / international (001) 352 323 3500

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

The substance is not classified, according to the CLP regulation.

##### Additional information:

Due to a cryptocrystalline silica alveolar dust content of < 0.1% by weight (DIN EN 15051-3), classification in accordance with Regulation (EC) 1272/2008 is not required.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

##### Information concerning particular hazards for human and environment:

Due to the potential for generation of airborne respirable cryptocrystalline silica (cryp. CS), lung fibrosis cannot be ruled out. Prolonged inhalation of large amounts of cryp. CS A-dust (> 0.10 mg/m<sup>3</sup>) may lead to silicosis. Occupational exposure to cryp. CS A-dust should be monitored and controlled (-> see section 8.2.).

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 28.02.2023

Version: 5.00 (replaces version 4.00)

Revision: 28.02.2023

(Contd. of page 1)

**2.3 Other hazards****Results of PBT and vPvB assessment**

The product is a natural inorganic substance of natural origin and, according to Article VIII of the 1907/2006 (REACH) regulation (EC), does not meet the criteria for PBT or vPvB substances.

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Determination of endocrine-disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

**3.1 Substances****Description:**

Neuburg siliceous earth, also known by the trade names SILLITIN and SILLIKOLLOID, is an inorganic compound originating in nature and made up of amorphous and cryptocrystalline silica and lamellar kaolinite. As a unique mineralogical unit, Neuburg siliceous earth has been assigned the following specific identification number(s).

**CAS No. Description**

1020665-14-8 Neuburg Siliceous Earth

**Identification number(s) EINECS:** 310-127-6

**Additional information:****(Mineralogical structure)**

7631-86-9 Cryptocrystalline Silica (alveolar dust quantity: < 0.1% by weight)

7631-86-9 Amorphous Silica

1318-74-7 Kaolinite

**Nanoform** According to the REACH Regulation (EC) 1907/2006, the product is not defined as 'nanoform'.

## SECTION 4: First aid measures

**4.1 Description of first aid measures**

**General information:** In any cases of doubt or if symptoms are present, seek medical advice.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Wash the areas of skin affected with water and a mild detergent.

**After eye contact:**

Possible discomfort is due to foreign substance effect.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** No special measures required.

**4.2 Most important symptoms and effects, both acute and delayed**

Due to the potential for generation of airborne respirable cryptocrystalline silica (cryp. CS), lung fibrosis cannot be ruled out. Prolonged inhalation of large amounts of cryp. CS A-dust (> 0.10 mg/m<sup>3</sup>) may lead to silicosis.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture**

The product itself does not burn, nor does it release any hazardous decomposition products.

**5.3 Advice for firefighters****Protective equipment:**

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

## SECTION 6: Accidental release measures

### **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Avoid formation of dust.

If the atmosphere is particularly dusty, breathing apparatus must be worn.

#### **For non-emergency personnel**

The usual precautionary measures are to be adhered to when handling chemicals.

**For emergency responders** Wear protective equipment. Keep unprotected persons away.

### **6.2 Environmental precautions: No special measures required.**

### **6.3 Methods and material for containment and cleaning up:**

Avoid dry sweeping and use water spraying or vacuum cleaning (minimum dust class M) for removal.

Keep in closed containers, ready for disposal.

### **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### **7.1 Precautions for safe handling**

Prevent formation of dust.

Provide suction extractors if dust is formed.

Use suitable respiratory protective device in case of insufficient ventilation.

Handle packaged products carefully to prevent accidental bursting.

Any unavoidable deposit of dust must be regularly removed.

**Information about fire - and explosion protection:** No special measures required.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage:**

#### **Requirements to be met by storerooms and receptacles:**

Keep container tightly sealed.

Ensure that dust-protection measures are in place during silo loading.

#### **Information about storage in one common storage facility:**

No special measures required.

Observe local/state/federal regulations.

**Further information about storage conditions:** Store in dry conditions.

### **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### **8.1 Control parameters**

#### **Ingredients with limit values that require monitoring at the workplace:**

a concentration of  $\leq 0.10 \text{ mg/m}^3$  (average value for one shift) is observed for cryp. CS A-dust, it is highly likely that employees will not suffer from any silicotic disease.

Activities performed in dusty atmospheres must be monitored: dust samples must be taken in accordance with EN 481 and TRGS 402/A-dust concentration of cryptocrystalline in accordance with BIA 8522 (FTIR)

### **8.2 Exposure controls**

#### **Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

#### **Individual protection measures, such as personal protective equipment**

##### **General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Remove soiled clothing and wash it before wearing again.

##### **Respiratory protection:**

If A-dust exceeds the concentration of  $0.10 \text{ mg/m}^3$  cryp. CS, wear an appropriate fine-dust filter mask (FFP 2).

**Hand protection** Not required in normal cases.

(Contd. of page 3)

**Eye/face protection** Safety glasses with side shields  
**Environmental exposure controls** No specific requirements.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

<b>Physical state</b>	Solid
<b>Colour:</b>	White to beige
<b>Odour:</b>	Odourless
<b>Melting point/freezing point:</b>	> 1600 °C
<b>Boiling point or initial boiling point and boiling range</b>	Not applicable.
<b>Flammability</b>	Product is not flammable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
<b>Flash point:</b>	Not applicable.
<b>Ignition temperature:</b>	Not applicable
<b>Decomposition temperature:</b>	Not determined.
<b>pH (400 g/l) at 20 °C</b>	5 - 9 (DIN ISO 787 / 9)
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>Solubility water:</b>	negligible DIN ISO 787 / 3
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	2.6 g/cm <sup>3</sup> (DIN ISO 787 / 10)
<b>Vapour density</b>	Not applicable.
<b>Particle characteristics</b>	D50: 1.5-4µm / D97: 6-18µm (ISO 13320) <b>Grain shape:</b> Corpuscular/lamellar <b>Nanoform:</b> According to the REACH Regulation (EC) 1907/2006, the product is not defined as 'nanoform'.

### 9.2 Other information

<b>Appearance:</b>	
<b>Form:</b>	Powder
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Not applicable
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not applicable.

### Information with regard to physical hazard classes

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void

(Contd. on page 5)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 28.02.2023

Version: 5.00 (replaces version 4.00)

Revision: 28.02.2023

(Contd. of page 4)

<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- 10.1 Reactivity** Inert, not reactive.  
**10.2 Chemical stability** Stable under normal conditions.  
**10.3 Possibility of hazardous reactions** No dangerous reactions known.  
**10.4 Conditions to avoid** See Section 7 for information on safe handling.  
**10.5 Incompatible materials:** No further relevant information available.  
**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**  
**Acute toxicity** Based on available data, the classification criteria are not met.  
**LD/LC50 values relevant for classification:** Based on available data, the classification criteria are not met.  
**Skin corrosion/irritation** Based on available data, the classification criteria are not met.  
**Serious eye damage/irritation** Based on available data, the classification criteria are not met.  
**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.  
**Germ cell mutagenicity** Based on available data, the classification criteria are not met.  
**Carcinogenicity** Based on available data, the classification criteria are not met.  
**Reproductive toxicity** Based on available data, the classification criteria are not met.  
**STOT-single exposure** Based on available data, the classification criteria are not met.  
**STOT-repeated exposure**  
Prolonged inhalation of large amounts of cryp. CS A-dust (> 0.10 mg/m<sup>3</sup>) may lead to silicosis. Due to cryp. CS A-dust (DIN EN 15051-3) amounting to < 0.1% by weight, classification in accordance with Regulation (EC)1272/2008 is not required.  
Based on available data, the classification criteria are not met.  
**Aspiration hazard** Based on available data, the classification criteria are not met.  
**11.2 Information on other hazards**  
**Endocrine disrupting properties**  
According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.  
Substance is not listed.

**SECTION 12: Ecological information**

- 12.1 Toxicity**  
The substances listed under section 3., "Composition/information on ingredients", belong to the mineralogical class of silicates/oxides and are commonly found in the earth's crust. They have no known harmful effects on the environment, nor are such effects to be expected.  
**Aquatic toxicity:** No further relevant information available.  
**12.2 Persistence and degradability** No further relevant information available.  
**12.3 Bioaccumulative potential** Not relevant (Some organisms accumulate Si(OH)<sub>4</sub>)  
**12.4 Mobility in soil** No further relevant information available.  
**12.5 Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**12.6 Endocrine disrupting properties**  
According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

(Contd. on page 6)

EN





**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.02.2023

Version: 5.00 (replaces version 4.00)

Revision: 28.02.2023

(Contd. of page 6)

**Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Substance is not listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.

**National regulations:**

**Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

**15.2 Chemical safety assessment:**

Exempted from REACH registration in accordance with Annex V.7.

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Date of previous version:** 13.04.2022

**Version number of previous version:** 4.00

**Abbreviations and acronyms:**

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = Lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

**Sources**

"Regulation (EC) Nr. 1907/2006 (REACH), 1272/2008 (CLP), 648/2004 (Detergents) in the respective valid version. National occupation exposure limits for each country in the respective valid version. Transportation regulations according to ADR, RID, IMDG, IATA in the respective valid version."

\* Data compared to the previous version altered.

EN