

MATERIAL SAFETY DATA SHEET

Product name: SOLVENT YELLOW 33

SECTION 1: PRODUCT AND COMPANY NAME

Product identifier

Product name: SOLVENT YELLOW 33

 Synonyms:
 Not available

 CAS No.
 8003-22-3

 EINECS No.
 232-318-2

 C.I.
 47000

Recommended use of the chemical

and restrictions on use

Relevant identified uses: The products are widely used in daily plastic, organic glass, PVC

packing materials, decoration materials, pen making materials, telecommunication materials, yarn cop materials, industrial grease, paint, ink, colorant, etc. Some kinds are applicable for coloring and die-spinning of chemical fiber, terylene, nylon and

acetate fiber.

Uses advised against: No data available

Details of the supplier of the product

Company name: Dynasty Chemicals (Ningbo) Co., Ltd

Address: 8F A2 Liyuanshangdu, 201Lantian St., NingBo, China.

Postcode: 315012

E-mail: info@dynasty-chem.com

 Telephone:
 +86 574 56707028

 Fax:
 +86 574 56707030

Web: www.dynasty-chem.com

Emergency telephone number: +86 574 56707033(Only office hours available)

SECTION 2: HAZARDOUS IDENTIFICATION

GHS classification of

the substance/mixture: Self-classification

GHS label elements

Substances: Solvent yellow 33

Precautionary statements

Prevention: P264 Wash thoroughly after handing.

P270 Do no eats, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P303+P361+P353 If on skin (or hair): Remove/Take off

8F Block A2, Li Yuan Shang Du, No. 201 Lantian Rd., NingBo, China 315012

Tel: +86 574 56159999 Fax: +86 574 56707030

E-mail: <u>info@dynasty-chem.com</u> http://www.dynasty-chem.com



MATERIAL SAFETY DATA SHEET

immediately all contaminated clothing. Rinse skin with

water/shower.

Storage: P403+P235 Store in a well-ventilated place. Keep cool.

Disposal: P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

Other hazards: Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Synonyms:	CAS No.	EINECS No.	Classification according GHS	to
Solvent yellow 33	Not available	8003-22-3	232-318-2	Self-classification	

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

In case of eye contact: Flush eyes with plenty of water for at least 15 minutes,

occasionally lifting the upper and lower eyelids.

Get medical aid immediately.

In case of inhalation:Get medical aid immediately. Remove from exposure and move

to fresh air immediately.

If not breathing, give artificial respiration. If breathing is difficult,

give oxygen.

In case of skin contact: Get medical aid.

Flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes.

In case of ingestion: If victim is conscious and alert, give 2-4 cup fuls of milk or water.

Never give anything by mouth to an unconscious person.

Get medical aid immediately.

Symptoms and effects, acute and delayed

Potential heath symptoms and effects Redness. May cause mild eye irritation.

Eye: May cause mild skin irritation. Not expected to cause and allergic

Skin: skin reaction.

May cause irritation of the digestive tract.

Ingestion: May cause respiratory tract irritation.

Inhalation: No information found.

Chronic:

Immediate medical attention and special Consult a physician. Treat symptomatically and supportively.

treatment:

8F Block A2, Li Yuan Shang Du, No. 201 Lantian Rd., NingBo, China 315012 Tel: +86 574 56159999 Fax: +86 574 56707030

E-mail: <u>info@dynasty-chem.com</u> http://www.dynasty-chem.com



MATERIAL SAFETY DATA SHEET

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Water mist, foam, CO₂, dry powder Unsuitable extinguishing media: Do not use straight streams of water.

Special exposure hazards, combustion

products: Thermal decomposition may produce carbon monoxide, carbon

dioxide, nitrogen oxides and hydrogen chloride.

Special protective equipment for

firefighters: Wear appropriate protective equipment and clothing.

Protection against fire and explosion: None

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid making dust; avoid contacting with skin and eyes by

wearing an approved dust mask.

As a general precaution: Wash thoroughly after contact with product.

Environmental measures: No special measures required, comply with local regulations.

Methods for cleaning up: Vacuum clean dusts with equipment fitted with HEPA filter, or

spread absorbent material, collect into suitable container for disposal. For large spills, dike with inert material. Collect spilled material for possible salvage or disposal. Resort all large spills to environmental authorities. Wash contaminated surface thoroughly with water and detergent. Waste disposal methods should be in accordance with methods set forth by local, state

and federal authorities.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling: All handling may cause dust emission. Organize the handling in

such a way, that the creation of dust is minimized. Secondary dust emission may be minimized by means of good

housekeeping.

Conditions for safe storage: Indoor, dry, store in accordance with standard approved

warehousing procedures. Repair all broken bags immediately.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure limit : Values not tested.

Technical measures/precautions: Exposure limit(s) should be monitored using suitable analytical

8F Block A2, Li Yuan Shang Du, No. 201 Lantian Rd., NingBo, China 315012

Tel: +86 574 56159999 Fax: +86 574 56707030

E-mail: info@dynasty-chem.com http://www.dynasty-chem.com



MATERIAL SAFETY DATA SHEET

equipments

Individual protection measures-persona

protective equipment

Respiratory: Wear disposable respiratory masks, suitable for nuisance dusts.

Wear gloves and overalls wear goggles or safety glasses with

Protection of skin and eyes: side shields.

Cleaning of contaminated garments by suction; do not brush or

General protective equipment: use compressed air.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Formula: C₁₈H₁₁NO₂
Molecular Weight: 273.28

Appearance: Yellow powder

Shade: Similar to the standard Solubility: Insoluble in water

Tinting strength; Corresponding to standard 100±5%

Moisture:Not availableAsh:Not availableResidue on sieve:Not available

Melting Point: 236

Heat resistance:Not availableLight resistance:Not availableMigration:Not available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: Dust hazard.

Conditions to avoid: Avoid humidity.

No conditions known that should be avoided. Avoid all sources of ignition: heat, sparks, and open flame. Avoid moisture. Avoid

electro-static charge.

Substances to avoid:No substances known that should be avoided.

Hazardous decomposition products: May produce carbon monoxide, carbon dioxide, nitrogen oxides

and hydrogen chloride.

SECTION 11. TOXICOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET

General: Based upon industry-wide experience over many years of

manufacturing and published toxicological studies, organic dyes

in general are considered to be practically non-toxic.

This product is a mixture of several ingredients, and has not

been tested for acute and chronic toxicity.

There are no established TLV'S or PEL'S for this product.

Acute(short-term) toxicity:

Chronic (long-term) toxicity:

No acute data available for this product.

No known published data available.

No known published data available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: The product being a rather stable powder should be handled

carefully in such a way, avoid dusty, and it will not contaminate the environment. No further negative effects on the environment

are reported.

Persistence and degradability: Not available.

Bioaccumulative potential: No appreciable bioaccumulation is to be expected

Mobility in soil: Base on best current information, there is no data components

known associated with this product.

Other adverse effects: Do not allow to enter waters, waste water, or soil!

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods: Waste from this material is not considered as dangerous waste

according to EU-rules and can generally be brought to a normal tip with a permit to handle industrial waste. When contaminated with dangerous products the advice of an expert has to be obtained. In general the product is dusty, and as long as it has not been adequately wetted, it should be packed in well-closed containers for removal. Check the local regulations and

requirements.

SECTION 14. TRANSPORT INFORMATION

Land transport(ADR/RID):

Sea transport(IMDG-code):

Air transport(ICAO-TI/IATA-DGR):

Not dangerous goods.

Not dangerous goods.

Additional information: Not available.

SECTION 15, REGULATORY INFORMATION

8F Block A2, Li Yuan Shang Du, No. 201 Lantian Rd., NingBo, China 315012

Tel: +86 574 56159999 Fax: +86 574 56707030

E-mail: info@dynasty-chem.com http://www.dynasty-chem.com



MATERIAL SAFETY DATA SHEET

Designation according to EC guidelines: Not required **Risk phrase:** Not available.

Safety advice: Avoid contact with eyes & skin Water hazard class: Not list in U.N. hazardous list

SECTION 16, OTHER INFORMATION

MSDS creation date: Jan. 27, 2023

Abbreviations and acronyms

GHS: Globally Harmonized System of Classification and Labelling of Chemicals **CAS**: Chemical Abstracts Service (division of the American Chemical Society) **EINECS**: European Inventory of Existing Commercial Chemical Substances)

RID: European Rail Transport

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. The formation contained is based on the present state or our knowledge and is intended to describe our products form the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

The end of document