


**Date:** 14 May 2024  
**Document's Title:** fid  
**Spectrum Title:** None  
**Frequency (MHz):** (f1) 400.152  
**Original Points Count:** (f1) 32768  
**Actual Points Count:** (f1) 65536  
**Acquisition Time (sec):** (f1) 3.9846  
**Spectral Width (ppm):** (f1) 20.551  
**Pulse Program:** ZG30  
**Temperature:** 25.4152  
**Number of Scans:** 16  
**Acq. Date:** Fri May 13 03:08:13 PM



C<sub>16</sub>H<sub>26</sub>Cl<sub>2</sub>N<sub>2</sub>O, DMSO-d<sub>6</sub>

11.361  
 7.280  
 7.260  
 7.240  
 7.048  
 6.972  
 6.968  
 6.951  
 6.947  
 6.879  
 6.860  
 3.877  
 3.845  
 3.574  
 3.559  
 3.544  
 3.529  
 3.513  
 3.448  
 3.434  
 3.419  
 3.270  
 3.240  
 3.209  
 3.158  
 3.144  
 3.131  
 3.117  
 3.106  
 3.077  
 3.054  
 2.507  
 2.007  
 1.993  
 1.989  
 1.981  
 1.967

10000

5000

0

66.0  
 1.09  
 1.09  
 1.09  
 2.02  
 2.98  
 4.04  
 2.06  
 6.00

ppm (f1)

10.0

5.0

0.0