# Chemical Safety Data Sheet MSDS / SDS

# 1,4-Dioxane

Revision Date:2024-11-02 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name	: 1,4-Dioxane
CBnumber	: CB6240532
CAS	: 123-91-1
EINECS Number	: 204-661-8
Synonyms	: 1,4-dioxane,diox
Relevant identified uses of the s	substance or mixture and uses advised against
Relevant identified uses of the s	: For R&D use only. Not for medicinal, household or other use.

Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 400-158-6606

# SECTION 2: Hazards identification

#### GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Danger

Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P370+P378 In case of fire: Use ... for extinction.

P311 Call a POISON CENTER or doctor/physician.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P281 Use personal protective equipment as required.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P240 Ground/bond container and receiving equipment.

P233 Keep container tightly closed.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

#### Hazard statements

H412 Harmful to aquatic life with long lasting effects

H373 May cause damage to organs through prolonged or repeated exposure

H372 Causes damage to organs through prolonged or repeated exposure

H370 Causes damage to organs

H351 Suspected of causing cancer

H350 May cause cancer

- H340 May cause genetic defects
- H336 May cause drowsiness or dizziness
- H335 May cause respiratory irritation
- H331 Toxic if inhaled

H319 Causes serious eye irritation

H315 Causes skin irritation

H304 May be fatal if swallowed and enters airways

H302 Harmful if swallowed

H225 Highly Flammable liquid and vapour

#### Disposal

WARNING.Cancer - https://oehha.ca.gov/proposition-65/chemicals/14-dioxane

### SECTION 3: Composition/information on ingredients

#### Substance

Product name	: 1,4-Dioxane
Synonyms	: 1,4-dioxane,diox
CAS	: 123-91-1
EC number	: 204-661-8
MF	: C4H8O2
MW	: 88.11

# SECTION 4: First aid measures

#### Description of first aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

#### Special hazards arising from the substance or mixture

Carbon oxides Combustible.


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

#### **NFPA 704**





HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <u>acetone</u> )
REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)
SPEC.		
HAZ.		

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### **Reference to other sections**

For disposal see section 13.

# SECTION 7: Handling and storage

#### Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min

Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Chloroprene

Minimum layer thickness: 0,6 mm Break through time: 35 min

Material tested:Camapren? (KCL 722 / Aldrich Z677493, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved

gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific

situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** 

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face

supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

#### or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **Exposure limits**

TLV-TWA 25 ppm (≈90 mg/m<sup>3</sup>) (ACGIH), 100 ppm (MSHA and OSHA); carcinogenicity: Animal Sufficient Evidence (IARC).

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Appearance	colorless liquid
Odour	No data available
Odour Threshold	No data available d) pH 6,0 - 8 at 500 g/l at 20 °C Melting point/freezing point Initial boiling point and
	boiling range Melting point/range: 10 - 12 °C - lit. 100 - 102 °C - lit. Flash point 11 °C - closed cup
	Evaporation rate No data available Flammability (solid, gas) Upper/lower flammability or explosive
	limits No data available Upper explosion limit: 22 %(V) Lower explosion limit: 2 %(V) Vapour pressure
	36 hPa at 20 °C 53 hPa at 25,20 °C Vapour density 3,04 - (Air = 1.0) Relative density 1,03 at 20 °C
	Water solubility 1.000 g/l at 20 °C - completely miscible Partition coefficient: n-octanol/water
	Autoignition temperature Decomposition temperature log Pow: -0,42 - Bioaccumulation is not
	expected. 190,55 $^\circ$ C No data available Viscosity Viscosity, kinematic: 1,27 mm2/s at 20 $^\circ$ C - OECD
	Test Guideline 1140,93 mm2/s at 40 $^\circ$ C - OECD Test Guideline 114 Viscosity, dynamic: No data
	available Explosive properties No data available Oxidizing properties No data available
Melting point/freezing point	Melting point/range: 10 - 12 °C - lit.
Initial boiling point and boiling range	100 - 102 °C - lit.
Flash point	11 °C - closed cup
Evaporation rate	54 °F
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 22 %(V) Lower explosion limit: 2 %(V)
limits	
Vapour pressure	36 hPa at 20 °C 53 hPa at 25,20 °C
Vapour density	3,04 - (Air = 1.0)
Relative density	1,03 at 20 °C
Water solubility	1.000 g/l at 20 °C - completely miscible
Partition coefficient: n-octanol/water	log Pow: -0,42 - Bioaccumulation is not expected.
Autoignition temperature	log Pow: -0,42 - Bioaccumulation is not expected.
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 1,27 mm2/s at 20 °C - OECD Test Guideline 1140,93 mm2/s at 40 °C - OECD
	Test Guideline 114 Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	4.89(x 10 <sup>-6</sup> atm?m <sup>3</sup> /mol) (static headspace-GC, Welke et al., 1998)
λmax	λ: 220 nm Amax: ≤0.70

λ: 235 nm Amax: ≤0.50
λ: 250 nm Amax: ≤0.20
λ: 270 nm Amax: ≤0.10
λ: 295-400 nm Amax: ≤0.01

#### Other safety information

Surface tension 36,9 mN/m at 25 °C

Relative vapor density

3,04 - (Air = 1.0)

# SECTION 10: Stability and reactivity

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions. Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

Oxygen, Oxidizing agents, Halogens, Reducing agents, Perchlorates., Trimethylaluminum

#### Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

#### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 5.150 mg/kg (OECD Test Guideline 401) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Lung edema LD50 Dermal - Rabbit - 7.378 mg/kg Remarks: (RTECS) Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 20 h Remarks: (IUCLID)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation

(OECD Test Guideline 405)

(Regulation (EC) No 1272/2008, Annex VI)

#### Respiratory or skin sensitization

(Regulation (EC) No. 440/2008, Annex, B.6)

#### Germ cell mutagenicity

Ames test

Salmonella typhimurium Result: negative

In vitro mammalian cell gene mutation test

Chinese hamster ovary cells Result: negative

Chromosome aberration test in vitro Chinese hamster ovary cells

Result: negative Remarks:

(ECHA)

Mouse - male Result: negative Remarks:

(ECHA)

Carcinogenicity

Suspected of causing cancer.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (1,4-Dioxane)

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute inhalation toxicity - mucosal irritations, Cough, Shortness

of breath, Possible damages:, damage of respiratory tract, Lung edema

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### Toxicity

LD50 in mice, rats (ml/kg): 5.7, 5.2 orally (Laug)

### **SECTION 12: Ecological information**

#### Toxicity

#### Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l

- 48 h

(OECD Test Guideline 202)

#### Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - >

1.000 mg/l - 72 h

(OECD Test Guideline 201)

#### Persistence and degradability

Biodegradability aerobic - Exposure time 29 d Result: < 10 % - Not readily biodegradable. (OECD Test Guideline 301F)

#### **Bioaccumulative potential**

Bioaccumulation Cyprinus carpio (Carp) - 10 mg/l(1,4-Dioxane)

Bioconcentration factor (BCF): 0,3 - 0,7 (OECD Test Guideline 305C)

#### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

Forms toxic mixtures in water, dilution measures notwithstanding. Discharge into the environment must be avoided.

# SECTION 13: Disposal considerations

#### Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Incompatibilities

Dioxane can form potentially explosive peroxides upon long exposure to air. Dioxane may react violently with Raney nickel catalyst, nitric and perchloric acids, sulfur trioxide, and strong oxidizing reagents.

#### Waste Disposal

Excess dioxane and waste material containing this substance should be placed in an appropriate container, clearly labeled, and handled according to your institution's waste disposal guidelines.

#### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### **UN number**

ADR/RID: 1165 IMDG: 1165

#### UN proper shipping name

ADR/RID: DIOXANE IMDG: DIOXANE IATA: Dioxane

#### Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

#### Packaging group

ADR/RID: II IMDG: II IATA: II

#### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### Special precautions for user

No data available

### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

EC Inventory:Listed.

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

### **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulation concerning the International Carriage of Dangerous Goods by Rail IMDG: International Maritime Dangerous Goods IATA: International Air Transportation Association TWA: Time Weighted Average STEL: Short term exposure limit LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### **Other Information**

Refer for medical attention if breathing difficulties and/or fever develop. Check for peroxides prior to distillation; eliminate if found.

**Disclaimer:** 

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.