

## Chemical Safety Data Sheet MSDS / SDS

**2,2'-(Butylimino)diethanol**

Revision Date:2025-01-11 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : 2,2'-(Butylimino)diethanol  
CBnumber : CB4185107  
CAS : 102-79-4  
EINECS Number : 203-055-0  
Synonyms : bide,N-butyldiethanolamine

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P501 Dispose of contents/container to.....

P405 Store locked up.

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash skin thoroughly after handling.

P264 Wash hands thoroughly after handling.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

#### **Hazard statements**

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

H303 May be harmful if swallowed

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: 2,2'-(Butylimino)diethanol
Synonyms	: bide,N-butyldiethanolamine
CAS	: 102-79-4
EC number	: 203-055-0
MF	: C8H19NO2
MW	: 161.24

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### **Extinguishing media**

#### **Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx) Combustible.


## Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## Further information

No data available

## NFPA 704



■ HEALTH

Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion

■ FIRE 1 can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

□ SPEC.

□ HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

## Precautions for safe handling

Avoid inhalation of vapour or mist. For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

## Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# SECTION 8: Exposure controls/personal protection

## control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

## Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min

Material tested: Butoject? (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 60 min

Material tested: Camatril? (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colourless, to, light yellow liquid
Odour	amine-like
Odour Threshold	No data available d) pH 10,8 - 11,1 at 100 g/l at 20 °C Melting point/freezing point Initial boiling point and boiling range Melting point: -70 °C 284 °C at 1.013 hPa Flash point 143 °C - closed cup - Tested according to Annex V of Directive 67/548/EEC. Evaporation rate No data available Flammability (solid, gas) Upper/lower flammability or explosive limits No data available Upper explosion limit: 6,5 %(V) Lower explosion limit: 1,1 %(V) Vapour pressure 0,012 hPa at 25 °C - (calculated) 3,6 hPa at 120 °C Vapour density No data available Relative density 0,974 g/cm <sup>3</sup> at 15 °C Water solubility completely miscible Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature log Pow: 0,58 at 25 °C - Bioaccumulation is not expected. No data available No data available Viscosity No data available Explosive properties No data available Oxidizing properties No data available
Melting point/freezing point	Melting point: -70 °C
Initial boiling point and boiling range	284 °C at 1.013 hPa
Flash point	143 °C - closed cup - Tested according to Annex V of Directive 67/548/EEC.
Evaporation rate	260 °F
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 6,5 %(V) Lower explosion limit: 1,1 %(V)
Vapour pressure	0,012 hPa at 25 °C - (calculated) 3,6 hPa at 120 °C
Vapour density	1 mm Hg ( 25 °C)
Relative density	0,974 g/cm <sup>3</sup> at 15 °C
Water solubility	completely miscible
Partition coefficient: n-octanol/water	log Pow: 0,58 at 25 °C - Bioaccumulation is not expected.
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

Solubility in other solvents

Methanol at 20 °C

soluble

Ethanol at ca.20 °C

completely miscible Benzene at ca.20 °C

completely miscible Toluene at 20 °C

soluble

Ether at ca.20 °C

completely miscible

---

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

No data available

### Conditions to avoid

No data available

### Incompatible materials

No data available

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NO<sub>x</sub>)

Other decomposition products - No data available In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 4.800 mg/kg (OECD Test Guideline 401)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive - 20 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (External MSDS) Causes serious eye damage.

#### Respiratory or skin sensitisation

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Ames test

Escherichia coli/Salmonella typhimurium Result: negative

In vitro mammalian cell gene mutation test Mouse lymphoma test

Result: negative

Mutagenicity (mammal cell test): chromosome aberration. Human lymphocytes

Result: negative

#### **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

##### **Specific target organ toxicity - single exposure**

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

##### **Specific target organ toxicity - repeated exposure Aspiration hazard**

#### **Additional Information**

RTECS: KK0525000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

cardiovascular disorders Other information

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments. Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### **Toxicity**

LD50 orally in Rabbit: 4800 mg/kg

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

LC50 - Leuciscus idus (Golden orfe) - > 320 - < 460 mg/l - 96 h (DIN 38412 part 15)

#### **Toxicity to daphnia and other aquatic invertebrates**

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

static test NOEC - Daphnia magna (Water flea) - 100 mg/l - 48 h (OECD Test Guideline 202)

#### **Toxicity to algae**

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata (green algae) - 25 mg/l - 72 h

(OECD Test Guideline 201)

#### **Toxicity to bacteria**

EC20 - activated sludge - > 727 mg/l - 0,5 h

(OECD Test Guideline 209)

#### **Persistence and degradability**

Biodegradability Result: - Readily biodegradable.

Biochemical Oxygen Demand (BOD)

Chemical Oxygen Demand (COD)

< 2 mg/g

Remarks: (External MSDS)

2.190 mg/g

Remarks: (External MSDS)

#### **Bioaccumulative potential**

#### **Mobility in soil**

#### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Toxics Screening Level**

The initial threshold screening level (ITSL) for Butyldiethanolamine is 14 µg/m<sup>3</sup> annual avg based on this LD-50 using the equation in R232(1)(h).

#### **Other adverse effects**

Additional ecological information

Biological effects:

When discharged properly, no impairments in the function of adapted biological wastewater treatment plants are to be expected. Further information on ecology

Discharge into the environment must be avoided.

---

## **SECTION 13: Disposal considerations**

#### **Waste treatment methods**

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **Contaminated packaging**



Dispose of as unused product.

---

## SECTION 14: Transport information

### UN number

ADR/RID: 2735 IMDG: 2735 IATA: 2735

### UN proper shipping name

ADR/RID: AMINES, LIQUID, CORROSIVE, N.O.S. (2,2'-Butyliminodiethanol)

IMDG: AMINES, LIQUID, CORROSIVE, N.O.S. (2,2'-Butyliminodiethanol)

IATA: Amines, liquid, corrosive, n.o.s. (2,2'-Butyliminodiethanol)

### Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

### Packaging group

ADR/RID: II IMDG: II IATA: II

### Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

No data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

#### Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

EC Inventory:Listed.

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

- 【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- 【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- 【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>
- 【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- 【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- 【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.