

## Chemical Safety Data Sheet MSDS / SDS

**ARSENIC(III) IODIDE**

Revision Date:2025-02-01 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : ARSENIC(III) IODIDE  
CBnumber : CB7192357  
CAS : 7784-45-4  
EINECS Number : 232-068-4  
Synonyms : Arsenic compounds,Arsenic triiodide

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Acute toxicity - Category 3, Oral  
Acute toxicity - Category 3, Inhalation  
Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

**Label elements****Pictogram(s)**

☐

Signal word : Danger

**Hazard statement(s)**

H301 Toxic if swallowed  
H331 Toxic if inhaled  
H400 Very toxic to aquatic life  
H410 Very toxic to aquatic life with long lasting effects

**Precautionary statement(s)**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P311 Call a POISON CENTER or doctor/physician.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Prevention**

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

#### **Response**

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P316 Get emergency medical help immediately.

P391 Collect spillage.

#### **Storage**

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: ARSENIC(III) IODIDE
Synonyms	: Arsenic compounds, Arsenic triiodide
CAS	: 7784-45-4
EC number	: 232-068-4
MF	: AsI <sub>3</sub>
MW	: 455.64

---

## SECTION 4: First aid measures

## Description of first aid measures

### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

## Most important symptoms and effects, both acute and delayed

Excerpt from ERG Guide 152 [Substances - Toxic (Combustible)]: Highly toxic, may be fatal if inhaled, swallowed or absorbed through skin. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

## Indication of any immediate medical attention and special treatment needed

### Minimum/Potential Fatal Human Dose

Fatal human dose 70-180 mg. (Estimated lethal dose for a 70 kg human as As (III)).

---

## SECTION 5: Firefighting measures

### Extinguishing media

If material involved in fire: Extinguish fire using agent suitable for type of surrounding fire. Do not use water on arsenic triiodide. If large quantities of combustibles are involved, use water in flooding quantities as spray and fog. Use water spray to knock down vapors.


### Specific Hazards Arising from the Chemical

Excerpt from ERG Guide 152 [Substances - Toxic (Combustible)]: Combustible material: may burn but does not ignite readily. Containers may explode when heated. Runoff may pollute waterways. Substance may be transported in a molten form. (ERG, 2016)

### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### NFPA 704



Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium](#)

HEALTH 3 [hypochlorite](#), hexafluorosilicic acid)

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Prompt cleanup and removal are necessary. Control runoff and isolate discharged material for proper disposal.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Store in airtight containers. Protect from light.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure limit values

Component	Arsenic triiodide
CAS No.	7784-45-4
	5 mg/cu m (as As); NIOSH considers arsenic (inorganic cmpd, as As) to be a potential occupational carcinogen. /Arsenic (inorganic cmpd, as As)/ Recommended Exposure Limit: 15 Ceiling Limit: (0.002 mg/cu m). /Arsenic (inorganic cmpd, as As)/

NIOSH usually recommends that occupational exposures to carcinogens be limited to the lowest feasible concentration. /Arsenic (inorganic compounds, as As)/

#### Biological limit values

no data available

#### Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### Individual protection measures

##### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

##### Skin protection

Wear fire/flamm resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

##### Thermal hazards

no data available

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Powder
Colour	red
Odour	no data available
Melting point/freezing point	146°C
Boiling point or initial boiling point and boiling range	403°C
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	424°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	1.1 (aq 0.1 N soln)
Kinematic viscosity	no data available
Solubility	6 g/100 ml water at 25 deg C
Partition coefficient n-octanol/water	no data available
Vapour pressure	no data available
Density and/or relative density	4.39
Relative vapour density	4.39
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### Reactivity

5 mg/cu m (as AS); NIOSH considers arsenic (inorganic compd, as As) to be a potential occupational carcinogen. Arsenic (inorganic compd, as As)

### Chemical stability

Reacts slowly with o2 from air, liberating iodine

### Possibility of hazardous reactions

ARSENIC IODIDE gives acidic solutions in water. These solutions neutralize bases exothermically. Can react as either an oxidizing agent or reducing agent.

### Conditions to avoid

no data available

### Incompatible materials

Can form a shock sensitive compd with sodium or potassium.

### Hazardous decomposition products

Arsenic iodide is decomposed by water to form arsenic acid & hydriodic acid, a corrosive material.

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

Classification of carcinogenicity: 1) evidence in humans: sufficient; 2) evidence in animals: limited. Overall summary evaluation of carcinogenic risk to humans is Group 1: Carcinogenic to humans. NOTE: This evaluation applies to the group of chemicals as a whole and not necessarily to all individual chemicals within the group. Arsenic and arsenic compounds

#### **Reproductive toxicity**

no data available

#### **STOT-single exposure**

no data available

#### **STOT-repeated exposure**

no data available

#### **Aspiration hazard**

no data available

---

## SECTION 12: Ecological information

### **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### **Persistence and degradability**

no data available

### **Bioaccumulative potential**

no data available

### **Mobility in soil**

no data available

### **Other adverse effects**

no data available

---

## SECTION 13: Disposal considerations

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### UN Number

ADR/RID: UN1557 (For reference only, please check.)

IMDG: UN1557 (For reference only, please check.)

IATA: UN1557 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: ARSENIC COMPOUND, SOLID, N.O.S., inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s. (For reference only, please check.)

IMDG: ARSENIC COMPOUND, SOLID, N.O.S., inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s. (For reference only, please check.)

IATA: ARSENIC COMPOUND, SOLID, N.O.S., inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

### Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question



### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

### **EC Inventory**

Listed.

### **United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

### **China Catalog of Hazardous chemicals 2015**

Listed.

### **New Zealand Inventory of Chemicals (NZIoC)**

Not Listed.

### **PICCS**

Listed.

### **Vietnam National Chemical Inventory**

Not Listed.

### **IECSC**

Listed.

### **Korea Existing Chemicals List (KECL)**

Listed.

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.