# Chemical Safety Data Sheet MSDS / SDS

# DIBENZO[B, DEF]CHRYSENE

Revision Date:2024-12-21 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

: DIBENZO[B,DEF]CHRYSENE						
: CB3359718						
: 189-64-0						
: 205-878-0						
: dibenzo(a,h)pyrene,dibenzo[e,l]pyrene						
Relevant identified uses of the substance or mixture and uses advised against						
: For R&D use only. Not for medicinal, household or other use.						
: none						
: Chemicalbook						
: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing						
: 400-158-6606						

# SECTION 2: Hazards identification

#### Classification of the substance or mixture

Germ cell mutagenicity, Category 2

Carcinogenicity, Category 1B

#### Label elements

#### Pictogram(s)

Signal word

Danger

#### Hazard statement(s)

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

H340 May cause genetic defects

H350 May cause cancer

H351 Suspected of causing cancer

1

H372 Causes damage to organs through prolonged or repeated exposure

#### Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

#### Continuerinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### Prevention

P203 Obtain, read and follow all safety instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

#### Response

P318 IF exposed or concerned, get medical advice.

#### Storage

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards

no data available

## SECTION 3: Composition/information on ingredients

#### Substance

Product name	: DIBENZO[B,DEF]CHRYSENE
Synonyms	: dibenzo(a,h)pyrene,dibenzo[e,l]pyrene
CAS	: 189-64-0
EC number	: 205-878-0
MF	: C24H14
MW	: 302.37

### SECTION 4: First aid measures

#### Description of first aid measures

#### lf inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately.

Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### **Following ingestion**

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

#### Most important symptoms and effects, both acute and delayed

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

#### Indication of any immediate medical attention and special treatment needed

Immediate First Aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aromatic hydrocarbons and related compounds

### SECTION 5: Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.[Sigma-Aldrich; Safety Data Sheet for Dibenzo


#### **Specific Hazards Arising from the Chemical**

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. For electric vehicles or equipment, ERG Guide 147 (lithium ion batteries) or ERG Guide 138 (sodium batteries) should also be consulted. (ERG, 2016)

#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **NFPA 704**



HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <u>acetone</u> )
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <u>N2</u> )
SPEC. HAZ.		

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Avoid dust formation. Avoid breathing vapors, mist or gas. Environmental precautions: Do not let product enter drains. Methods and materials for containment and cleaning up: Sweep up and shovel. Keep in suitable, closed containers for disposal.[Sigma-Aldrich; Safety Data Sheet for Dibenzo

# SECTION 7: Handling and storage

#### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. [Sigma-Aldrich; Safety Data Sheet for Dibenzo

## SECTION 8: Exposure controls/personal protection

#### **Control parameters**

#### **Occupational Exposure limit values**

ComponentDibenzo[b,def]chrysene						
CAS No.	189-64-0					

Recommended Exposure Limit: 10 Hr Time-Weighted Avg: 0.1 mg/cu m (cyclohexane-extractable fraction). /Coal tar pitch volatiles/

NIOSH considers coal tar pitch volatiles to be potential occupational carcinogens. NIOSH usually recommends that occupational exposures to carcinogens be limited to the lowest feasible concentration. /Coal tar pitch volatiles/

#### **Biological limit values**

no data available

#### **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

#### Individual protection measures

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The

selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

### SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Physical state	neat
Colour	White to Pale Beige
Odour	Odorless
Melting point/freezing point	308°C
Boiling point or initial boiling point and	552.3°C at 760 mmHg
boiling range	
Flammability	no data available
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	282°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	no data available
Solubility	Chloroform (Very Slightly, Heated), DMSO (Very Slightly, Heated)
Partition coefficient n-octanol/water	log Kow = 7.28 (est)
Vapour pressure	1.12E-11mmHg at 25°C
Density and/or relative density	1.313 g/cm3

# SECTION 10: Stability and reactivity

#### Reactivity

NIOSH considers coal tar pitch volatiles to be potential occupational carcinogens. Coal tar pitch volatiles

#### **Chemical stability**

Stable under recommended storage conditions.[Sigma-Aldrich; Safety Data Sheet for Dibenzo

#### Possibility of hazardous reactions

Vigorous reactions, sometimes amounting to explosions, can result from the contact between aromatic hydrocarbons, such as

DIBENZO(A,H)PYRENE, and strong oxidizing agents. They can react exothermically with bases and with diazo compounds. Substitution at the benzene nucleus occurs by halogenation (acid catalyst), nitration, sulfonation, and the Friedel-Crafts reaction.

#### **Conditions to avoid**

no data available

#### Incompatible materials

Strong oxidizers. Coal tar pitch volatiles

#### Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

### SECTION 11: Toxicological information

#### Acute toxicity

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

#### Skin corrosion/irritation

no data available

#### Serious eye damage/irritation

no data available

#### Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

Group 2B: The agent is possibly carcinogenic to humans.

#### **Reproductive toxicity**

no data available

#### STOT-single exposure

no data available

STOT-repeated exposure

no data available

#### Aspiration hazard

no data available

### SECTION 12: Ecological information

#### Toxicity

Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available

#### Persistence and degradability

AEROBIC: Dibenzo(a,h)pyrene showed no biodegradation after a 29-day incubation period in a bioslurry reactor using contaminated soil from a previous gasworks facility in Sweden(1). In general, polynuclear aromatic hydrocarbons (PAHs) with five or more benzene rings may not biodegrade readily(2). Dibenzo(a,h)pyrene contains six benzene rings. In one biodegradation study, the half-life for the largest PAH studied, benzo(a)pyrene, was 875 days in petroleum-contaminated sediment; rates in pristine sediment were 10 to 400 times slower(3). On this basis, dibenzo(a,h)pyrene is expected to be resistant to biodegradation. PAHs with four or more rings, such as dibenzo(a,h)pyrene, are expected to be resistant to biodegradation.

#### **Bioaccumulative potential**

An estimated BCF of 9600 was calculated in fish for dibenzo(a,h)pyrene(SRC), using an estimated log Kow of 7.28(1) and a regressionderived equation(1). According to a classification scheme(2), this BCF suggests the potential for bioconcentration in aquatic organisms is very high(SRC), provided the compound is not metabolized by the organism(SRC). However, it may not bioconcentrate in aquatic organisms which contain microsomal oxidase, such as fish, as this enzyme enables the rapid metabolism of certain polycyclic aromatic hydrocarbons(3). Some marine organisms have no detectable aryl hydrocarbons hydroxylase enzyme systems, namely: phytoplankton, certain zooplankton, mussels (Mytilus edulis), scallops (Placopecten sp), and snails (Litternia littorea)(4). Those organisms which lack a metabolic detoxification enzyme system, tend to accumulate polycyclic aromatic hydrocarbons(4). A measured fish biotransformation half-life of 1.1 days has been reported for the analogous compound benzo(a)pyrene(5).

#### Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of dibenzo(a,h)pyrene can be estimated to be

6.3X10+6(SRC). According to a classification scheme(2), this estimated Koc value suggests that dibenzo(a,h)pyrene is expected to be

immobile in soil.

#### Other adverse effects

no data available

### SECTION 13: Disposal considerations

#### **Disposal methods**

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# SECTION 14: Transport information

#### **UN Number**

ADR/RID: UN2811 (For reference only, please check.) IMDG: UN2811 (For reference only, please check.) IATA: UN2811 (For reference only, please check.)

#### **UN Proper Shipping Name**

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (For reference only, please check.) IMDG: TOXIC SOLID, ORGANIC, N.O.S. (For reference only, please check.) IATA: TOXIC SOLID, ORGANIC, N.O.S. (For reference only, please check.)

#### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.) IMDG: 6.1 (For reference only, please check.) IATA: 6.1 (For reference only, please check.)

#### Packing group, if applicable

ADR/RID: I (For reference only, please check.) IMDG: I (For reference only, please check.) IATA: I (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: No IMDG: No IATA: No

#### Special precautions for user

no data available

#### Transport in bulk according to IMO instruments

no data available

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC** Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory Not Listed. China Catalog of Hazardous chemicals 2015 Not Listed. New Zealand Inventory of Chemicals (NZIoC) Not Listed. PICCS Not Listed. **Vietnam National Chemical Inventory** Listed. IECSC Not Listed. Korea Existing Chemicals List (KECL) Not Listed.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulation concerning the International Carriage of Dangerous Goods by Rail IMDG: International Maritime Dangerous Goods IATA: International Air Transportation Association TWA: Time Weighted Average STEL: Short term exposure limit LC50: Lethal Concentration 50% LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

**Disclaimer:** 

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.