# Chemical Safety Data Sheet MSDS / SDS

# DICHLOROMETHANE-D2

Revision Date:2025-02-01 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

Product name	: DICHLOROMETHANE-D2			
CBnumber	: CB1281031			
CAS	: 1665-00-5			
EINECS Number	: 216-776-0			
Synonyms	: dichloromethane-d2,methylene chloride-d2			
Relevant identified uses of the substance or mixture and uses advised against				
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.			
Uses advised against	: none			
Company Identification				
Company	: Chemicalbook			
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing			
Telephone	: 400-158-6606			

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Warning

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

Hazard statements

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- H373 May cause damage to organs through prolonged or repeated exposure

# SECTION 3: Composition/information on ingredients

### Substance

Product name	: DICHLOROMETHANE-D2
Synonyms	: dichloromethane-d2,methylene chloride-d2
CAS	: 1665-00-5
EC number	: 216-776-0
MF	: CCI2D2
MW	: 86.94

# SECTION 4: First aid measures

### Description of first aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Not combustible.

Ambient fire may liberate hazardous vapours.

# Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **NFPA 704**

2		0
HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. <u>mineral oil</u> , ammonia)
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <u>N2</u> )
SPEC. HAZ.		

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **Environmental precautions**

Do not let product enter drains.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent

material (e.g. Chemizorb?). Dispose of properly. Clean up affected area.

#### **Reference to other sections**

For disposal see section 13.

# SECTION 7: Handling and storage

### Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only

to qualified or authorized persons.

Heat sensitive. Store under inert gas. Hygroscopic.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Exposure controls

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety

# glasses

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton?

Minimum layer thickness: 0,7 mm Break through time: 120 min

#### Material tested: Vitoject? (KCL 890 / Aldrich Z677698, Size M)

**Body Protection** 

protective clothing

**Respiratory protection** 

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	liquid
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	-97 °C (lit.)
Initial boiling point and boiling range	40 °C - lit.
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 22 %(V) Lower explosion limit: 13 %(V)
limits	
Vapour pressure	25.72 psi ( 55 °C)
Vapour density	No data available
Relative density	1.362
Water solubility	Miscible with alcohol, ether and dimethyl formamide.
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

No data available

# SECTION 10: Stability and reactivity

No data available

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### Possibility of hazardous reactions

Risk of explosion with: Alkali metals powdered aluminium nitrogen oxides nitrogen dioxide Potassium sodium azide perchloric acid Nitric acid aluminium chloride Amines Oxygen (as liquefied gas) sodium aromatic hydrocarbons with powdered aluminium Exothermic reaction with: Alkaline earth metals Powdered metals amides alcoholates nonmetallic oxides potassium tert-butanolate sodium amide

Lithium

# Conditions to avoid

Heat.

no information available

### Incompatible materials

rubber, various plastics, Light metals, Metals, Mild steel

### Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

#### Information on toxicological effects

#### Acute toxicity

LDLo Oral - Human - 357 mg/kg Remarks: (RTECS)

LD50 Oral - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 401)

Symptoms: Nausea, Vomiting, Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

LC50 Inhalation - Rat - 4 h - 60,14 mg/l Remarks: (Lit.)

Symptoms: mucosal irritations

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Irritations - 4 h (OECD Test Guideline 404)

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation Remarks: (ECHA)

### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: positive

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473

Result: positive

Test Type: In vivo micronucleus test Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Central nervous system

### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

# Toxicity

LD50 orally in Rabbit: 1600 mg/kg LD50 dermal Rat > 2000 mg/kg

# SECTION 12: Ecological information

# Toxicity

# Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 193 mg/l - 96 h

# (US-EPA)

# Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h (US-EPA)

# Toxicity to algae

static test EbC50 - Pseudokirchneriella subcapitata (green algae) - > 662 mg/l - 96 h

(OECD Test Guideline 201)

# Toxicity to bacteria

static test EC50 - activated sludge - 2.590 mg/l - 40 min (OECD Test Guideline 209)

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 68 % - Readily biodegradable. (OECD Test Guideline 301D)

# **Bioaccumulative potential**

No data available

Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

Discharge into the environment must be avoided.

# SECTION 13: Disposal considerations

# Waste treatment methods

# Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

# **UN** number

ADR/RID: 1593 IMDG: 1593 IATA: 1593

### UN proper shipping name

### ADR/RID: DICHLOROMETHANE IMDG: DICHLOROMETHANE

# IATA: Dichloromethane

14.0	Transport hazard class(es)	
14.3	ADR/RID: 6.1 IMDG: 6.1	IATA: 6.1
14.4	Packaging group	
14.4	Adr/Rid: III IMDG: III	IATA: III
14.5	Environmental hazards	
14.5	ADR/RID: no IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user	
14.0	No data available	

# SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/ Measures for Environmental Management of New Chemical Substances EC Inventory:Listed. European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/ Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Not Listed. website: https://www.mee.gov.cn/ Korea Existing Chemicals List (KECL):Not Listed. website: http://ncis.nier.go.kr Philippines Inventory of Chemicals and Chemical Substances (PICCS):Not Listed. website: https://emb.gov.ph/ United States Toxic Substances Control Act (TSCA) Inventory:Not Listed. website: https://www.epa.gov/ Vietnam National Chemical Inventory:Not Listed. website: https://chemicaldata.gov.vn/

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- CAS: Chemical Abstracts Service
- EC50: Effective Concentration 50%
- IATA: International Air Transportation Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- STEL: Short term exposure limit
- TWA: Time Weighted Average

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.