Chemical Safety Data Sheet MSDS / SDS

Diethanolamine

Revision Date: 2024-12-21 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Diethanolamine

CBnumber : CB5852839

CAS : 111-42-2

EINECS Number : 203-868-0

Synonyms : DEA, DIETHANOLAMINE

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Hazard statements

H412 Harmful to aquatic life with long lasting effects

H373 May cause damage to organs through prolonged or repeated exposure

H318 Causes serious eye damage

H315 Causes skin irritation

Disposal

WARNING.Cancer - https://oehha.ca.gov/proposition-65/chemicals/diethanolamine

SECTION 3: Composition/information on ingredients

Substance

Product name : Diethanolamine

Synonyms : DEA, DIETHANOLAMINE

CAS : 111-42-2
EC number : 203-868-0
MF : C4H11NO2
MW : 105.14

SECTION 4: First aid measures

Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

Vapors are heavier than air and may spread along floors. Risk of dust explosion.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Air sensitive.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly

fitting safety goggles

Skin protection

required

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

at 105 g/l at 25 °C Melting point/freezing point Initial boiling point age: 28 °C 217 °C at 200 hPa Flash point 138 °C - closed cup Flammability (solid, gas) No data available Upper/lower er explosion limit: 10,6 %(V) Lower explosion limit: 1,6 %(V) - OECD Test Guideline 104 Vapour density 3,63 - (Air = 1.0) Water solubility 105 g/l at 20 °C - completely soluble Partition inition temperature Decomposition temperature log Pow: -2,46 at - Bioaccumulation is not expected. 355 °C at 1.013 hPa No data matic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No No data available
rige: 28 °C 217 °C at 200 hPa Flash point 138 °C - closed cup Flammability (solid, gas) No data available Upper/lower er explosion limit: 10,6 %(V) Lower explosion limit: 1,6 %(V) OECD Test Guideline 104 Vapour density 3,63 - (Air = 1.0) Water solubility 105 g/l at 20 °C - completely soluble Partition nition temperature Decomposition temperature log Pow: -2,46 at Bioaccumulation is not expected. 355 °C at 1.013 hPa No data natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
Flammability (solid, gas) No data available Upper/lower er explosion limit: 10,6 %(V) Lower explosion limit: 1,6 %(V) - OECD Test Guideline 104 Vapour density 3,63 - (Air = 1.0) Water solubility 105 g/l at 20 °C - completely soluble Partition nition temperature Decomposition temperature log Pow2,46 at - Bioaccumulation is not expected. 355 °C at 1.013 hPa No data natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
er explosion limit: 10,6 %(V) Lower explosion limit: 1,6 %(V) - OECD Test Guideline 104 Vapour density 3,63 - (Air = 1.0) Water solubility 105 g/l at 20 °C - completely soluble Partition nition temperature Decomposition temperature log Pow: -2,46 at - Bioaccumulation is not expected. 355 °C at 1.013 hPa No data natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
OECD Test Guideline 104 Vapour density 3,63 - (Air = 1.0) Water solubility 105 g/l at 20 °C - completely soluble Partition nition temperature Decomposition temperature log Pow: -2,46 at - Bioaccumulation is not expected. 355 °C at 1.013 hPa No data natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
Water solubility 105 g/l at 20 °C - completely soluble Partition nition temperature Decomposition temperature log Pow: -2,46 at - Bioaccumulation is not expected. 355 °C at 1.013 hPa No data natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
nition temperature Decomposition temperature log Pow2,46 at - Bioaccumulation is not expected. 355 °C at 1.013 hPa No data natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
- Bioaccumulation is not expected. 355 °C at 1.013 hPa No data natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
natic: No data available Viscosity, dynamic: 390,9 mPa.s at 30 °C - Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
Pa.s at 50 °C - OECD Test Guideline 114 Explosive properties No
No data available
ower explosion limit: 1,6 %(V)
deline 104
le
est Guideline 107 - Bioaccumulation is not expected.
able Viscosity, dynamic: 390,9 mPa.s at 30 °C - OECD Test
C - OECD Test Guideline 114

Other safety information

Dissociation constant 8,99 at 25 °C

3,63 - (Air = 1.0)

SECTION 10: Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Absorbs carbon dioxide (CO2) from air.

Possibility of hazardous reactions

No data available

Conditions to avoid

Strong heating.

Incompatible materials

bronze, Copper, Copper alloys, brass, Zinc, zinc alloys, Strong oxidizing agents

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1.600 mg/kg (OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract. Dermal

Skin corrosion/irritation

Skin - Rabbit Result: irritating (OECD Test Guideline 404)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. (OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline

471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: rat hepatocytes

Metabolic activation: without metabolic activation Method: OECD Test Guideline 473

Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test Species: Mouse

Application Route: Dermal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure. - Kidney, Liver, Blood

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

Toxicity

LD50 orally in rats: 12.76 g/kg (Smyth)

SECTION 12: Ecological information

Toxicity

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 460 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Ceriodaphnia dubia (water flea) - 30,1 mg/l - 48 h Remarks: (ECHA)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 9,5 mg/l - 96 h

(US-EPA)

Toxicity to bacteria

static test EC10 - activated sludge - > 1.000 mg/l - 30 min (OECD Test Guideline 209)

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 93 % - Readily biodegradable. (OECD Test Guideline 301F)

Biochemical Oxygen Demand (BOD)

Chemical Oxygen Demand (COD)

885 mg/g

Remarks: (External MSDS)

1.352 mg/g

Remarks: (External MSDS)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Additional ecological information

Biological effects:

Harmful effect due to pH shift.

When discharged properly, no impairments in the function of adapted biological wastewater treatment plants are to be expected.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

Incompatibilities

Diethanolamine will react with acids, acid anhydrides, acid chlorides, and esters to form amide derivatives, and with propylene carbonate or other cyclic carbonates to give the corresponding carbonates. As a secondary amine, diethanolamine reacts with aldehydes and ketones to yield aldimines and ketimines. Diethanolamine also reacts with copper to form complex salts.

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Waste Disposal

Controlled incineration; incinerator equipped with a scrubber or thermal unit to reduce nitrogen oxides emissions

SECTION 14: Transport information

UN number

ADR/RID: - IMDG: - IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

Packaging group

ADR/RID: - IMDG: - IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

EC Inventory:Listed.

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Other Information

Do NOT take working clothes home.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.