# Chemical Safety Data Sheet MSDS / SDS

# Diethylamine

Revision Date:2024-07-27 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

Product name	: Diethylamine	
CBnumber	: CB5447259	
CAS	: 109-89-7	
EINECS Number	: 203-716-3	
Synonyms	: DEA,diethylamine	
Relevant identified uses of the substance or mixture and uses advised against		
Relevant identified uses of the s	substance or mixture and uses advised against	
Relevant identified uses of the s	substance or mixture and uses advised against : For R&D use only. Not for medicinal, household or other use.	
	C C	

Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 400-158-6606

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Danger

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

1

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing. P370+P378 In case of fire: Use ... for extinction. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to..... Hazard statements H225 Highly Flammable liquid and vapour H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H314 Causes severe skin burns and eye damage H332 Harmful if inhaled H335 May cause respiratory irritation H371 May cause damage to organs H372 Causes damage to organs through prolonged or repeated exposure H402 Harmful to aquatic life

# SECTION 3: Composition/information on ingredients

# Substance

Product name	: Diethylamine
Synonyms	: DEA,diethylamine
CAS	: 109-89-7
EC number	: 203-716-3
MF	: C4H11N
MW	: 73.14

# SECTION 4: First aid measures

# Description of first aid measures

# General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

# If inhaled

If breathing stops: immediately apply artificial respiration, if necessary also oxygen. After inhalation: fresh air. Immediately call in physician. If

breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

## If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors. Risk of dust explosion.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.


# Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **NFPA 704**



 HEALTH
 3
 Short exposure could cause serious temporary or moderate residual injury (e.g. liquid hydrogen, sulfuric acid, calcium hypochlorite, hexafluorosilicic acid)

 Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature

FIRE 3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or

# ■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2) ■ SPEC. HAZ.

# SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# **Environmental precautions**

Do not let product enter drains. Risk of explosion.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquidabsorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

### **Reference to other sections**

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Flash back possible over considerable distance. Container explosion may occur under fire conditions. Advice on protection against fire

### and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# control parameter

# Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

# **Exposure controls**

# Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly

fitting safety goggles

Skin protection

required

**Body Protection** 

Flame retardant antistatic protective clothing.

**Respiratory protection** 

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other

accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type AX

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **Exposure limits**

NIOSH REL: TWA 10 ppm (30 mg/m<sup>3</sup>), STEL 25 ppm (75 mg/m<sup>3</sup>), IDLH 200 ppm; OSHA PEL: TWA 25 ppm; ACGIH TLV: TWA 5 ppm, STEL 15 ppm (adopted).

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	colorless liquid
Odour	ammoniacal
Odour Threshold	0.048ppm
рН	13 (100g/l, H2O, 20℃)

Melting point/freezing point	Melting point/range: -50 °C
Initial boiling point and boiling range	55 °C
Flash point	-26 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 11,8 %(V) Lower explosion limit: 2,0 %(V)
limits	
Vapour pressure	316 hPa at 25 °C
Vapour density	2.5 (vs air)
Relative density	0,71 at 20 °C
Water solubility	completely miscible
Partition coefficient: n-octanol/water	log Pow: 0,58 - Bioaccumulation is not expected.
Autoignition temperature	312 °C at 1.013 hPa
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,319 mPa.s at 25 °C
Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	2.56(x 10 <sup>-5</sup> atm?m <sup>3</sup> /mol) at 25 °C (Christie and Crisp, 1967)

# Other safety information

Dissociation constant 11,09 at 20 °C

# SECTION 10: Stability and reactivity

# Reactivity

Vapors may form explosive mixture with air.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Exothermic reaction with:

nitrites Strong acids

Acid anhydrides Alcohols Aldehydes Ketones

Esters

Halogenated hydrocarbon phenols

Mercury

Risk of ignition or formation of inflammable gases or vapours with: Oxidizing agents

# Conditions to avoid

Warming.

# Incompatible materials

Aldehydes, Alcohols, Dicyanofurazan, Ketones, phenols, Acids, Halogenated hydrocarbon, Oxidizing agents, Epoxides

## Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

### Information on toxicological effects

# Acute toxicity

LD50 Oral - Rat - male - 540 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - female - 4 h - 17,11 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - male - 582 mg/kg Remarks: (IUCLID) (ECHA) Skin corrosion/irritation Skin - Rabbit Result: Causes severe burns. (OECD Test Guideline 404) (Regulation (EC) No 1272/2008, Annex VI) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. - 7 Days (Regulation (EC) No. 440/2008, Annex, B.5) Respiratory or skin sensitization No data available Germ cell mutagenicity Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Micronucleus test Species: Mouse Application Route: inhalation (vapor) Result: negative Remarks: (ECHA) Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure May cause respiratory irritation. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

Toxicity

LD50 orally in rats: 540 mg/kg (Smyth)

# SECTION 12: Ecological information

# Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes - 27 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates semi-static test LC50 - Ceriodaphnia dubia (water flea) - 4,6 mg/l - 48 h (US-EPA) Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata - 54 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC10 - activated sludge - > 1.000 mg/l - 30 min (ISO 8192) Remarks: (External MSDS)

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 68 - 70 % - Readily biodegradable. (OECD Test Guideline 301C) Theoretical oxygen demand 3.620 mg/g Remarks: (IUCLID)

# Bioaccumulative potential

No data available

# Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Other adverse effects

No data available

# SECTION 13: Disposal considerations

# Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information
UN number
ADR/RID: 1154 IMDG: 1154
UN proper shipping name
ADR/RID: DIETHYLAMINE IMDG: DIETHYLAMINE IATA: Diethylamine
Transport hazard class(es)
ADR/RID: 3 (8) IMDG: 3 (8) IATA: 3 (8)
Packaging group
Adr/Rid: II IMdg: II IAta: II
Environmental hazards
ADR/RID: no IMDG Marine pollutant: no IATA: no
Special precautions for user
No data available
SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

 Regulations on the Safety Management of Hazardous Chemicals

 China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

 Measures for Environmental Management of New Chemical Substances

 Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

 European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

 United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

 EC Inventory:Listed.

 Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

 New Zealand Inventory of Chemicals (NZloC):Listed. website: https://www.epa.govt.nz/

 Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

 Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

# **SECTION 16: Other information**

# Abbreviations and acronyms

CAS: Chemical Abstracts Service ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulation concerning the International Carriage of Dangerous Goods by Rail IMDG: International Maritime Dangerous Goods IATA: International Air Transportation Association TWA: Time Weighted Average STEL: Short term exposure limit LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### Other Information

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential.Immediate administration of an appropriate inhalation therapy by a doctor, or by an authorized person, should be considered.Do NOT take working clothes home.

**Disclaimer:** 

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.