

## Chemical Safety Data Sheet MSDS / SDS

**DIISOPROPYLBENZENE**Revision Date:2023-12-30 Revision Number:1

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : DIISOPROPYLBENZENE  
CBnumber : CB7757026  
CAS : 25321-09-9  
EINECS Number : 246-835-6  
Synonyms : Diisopropylbenzene, 1,2-Diisopropylbenzene (mixture of isomers)

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

---

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Aspiration hazard, Category 1

**Label elements****Pictogram(s)**

☐☐

Signal word : Warning

**Hazard statement(s)**

H227 Combustible liquid  
H315 Causes skin irritation  
H320 Causes eye irritation  
H373 May cause damage to organs through prolonged or repeated exposure  
H410 Very toxic to aquatic life with long lasting effects

**Precautionary statement(s)**

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P314 Get medical advice/attention if you feel unwell.  
P391 Collect spillage. Hazardous to the aquatic environment  
P370+P378 In case of fire: Use ... for extinction.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container to.....

#### **Prevention**

none

#### **Response**

P301+P316 IF SWALLOWED: Get emergency medical help immediately.  
P331 Do NOT induce vomiting.

#### **Storage**

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: DIISOPROPYLBENZENE
Synonyms	: Diisopropylbenzene, 1,2-Diisopropylbenzene (mixture of isomers)
CAS	: 25321-09-9
EC number	: 246-835-6
MF	: C <sub>12</sub> H <sub>18</sub>
MW	: 162.27

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **If inhaled**

Fresh air, rest.

#### **Following skin contact**

Rinse and then wash skin with water and soap.

#### **Following eye contact**

Rinse with plenty of water (remove contact lenses if easily possible).

#### Following ingestion

Rinse mouth. Rest.

#### Most important symptoms and effects, both acute and delayed

Vapors and liquid are irritating to eyes, mucous membrane, and upper respiratory tract and can cause headache, narcosis and unconsciousness. Systemic effects can have a relatively long duration after exposure. Ingestion can be moderately to severely toxic. Liquid can cause defatting of skin and dermatitis. (USCG, 1999)

#### Indication of any immediate medical attention and special treatment needed

no data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

Foam, carbon dioxide, dry chemical, water spray or mist.


### Specific Hazards Arising from the Chemical

Special Hazards of Combustion Products: Vapors may travel considerable distance to an ignition source and flash back. (USCG, 1999)

### Advice for firefighters

Use powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

### NFPA 704



<input checked="" type="checkbox"/>	HEALTH	0	Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible materials
<input checked="" type="checkbox"/>	FIRE	2	Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <a href="#">sulfur</a> )
<input checked="" type="checkbox"/>	REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <a href="#">N<sub>2</sub></a> )
<input type="checkbox"/>	SPEC. HAZ.		

---

## SECTION 6: Accidental release measures

## **Personal precautions, protective equipment and emergency procedures**

Remove all ignition sources. Do NOT let this chemical enter the environment. Ventilation. Collect leaking liquid in covered containers. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

## **Environmental precautions**

Remove all ignition sources. Do NOT let this chemical enter the environment. Ventilation. Collect leaking liquid in covered containers. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

## **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

---

# SECTION 7: Handling and storage

## **Precautions for safe handling**

NO open flames. Above 77°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

## **Conditions for safe storage, including any incompatibilities**

Provision to contain effluent from fire extinguishing. Keep in a well-ventilated room. Store in an area without drain or sewer access.

---

# SECTION 8: Exposure controls/personal protection

## **Control parameters**

### **Occupational Exposure limit values**

no data available

### **Biological limit values**

no data available

## **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

## **Individual protection measures**

### **Eye/face protection**

Wear safety spectacles.

### **Skin protection**

Protective gloves.

### **Respiratory protection**

Use ventilation.

### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Diisopropylbenzene (all isomers) is a clear amber liquid with a sharp, penetrating odor. A mixture of three isomers (ortho, meta, and para).
Colour	Clear, colorless liquid
Odour	no data available
Melting point/freezing point	155°C(lit.)
Boiling point or initial boiling point and boiling range	150°C(lit.)
Flammability	Combustible.
Lower and upper explosion limit/flammability limit	no data available
Flash point	77°C(lit.)
Auto-ignition temperature	840° F (USCG, 1999)
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	Sol in all proportions of alcohol, ether, acetone and benzene.
Partition coefficient n-octanol/water	5.2
Vapour pressure	0.278mmHg at 25°C
Density and/or relative density	0.85
Relative vapour density	(air = 1): 5.6
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### Reactivity

no data available

### Chemical stability

no data available

### Possibility of hazardous reactions

Moderate, when exposed to heat or flame. Vigorous reactions, sometimes amounting to explosions, can result from the contact between aromatic hydrocarbons, such as DIISOPROPYLBENZENE (ALL ISOMERS), and strong oxidizing agents. Can react exothermically with bases and with diazo compounds. Substitution at the benzene nucleus occurs by halogenation (acid catalyst), nitration, sulfonation, and the Friedel-Crafts reaction.

### **Conditions to avoid**

no data available

### **Incompatible materials**

Can react with oxidizing materials.

### **Hazardous decomposition products**

When heated to decomposition it emits acrid smoke and irritating fumes.

---

## **SECTION 11: Toxicological information**

### **Acute toxicity**

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

no data available

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

Exposure at high levels could cause lowering of consciousness.

### **STOT-repeated exposure**

no data available

### **Aspiration hazard**

No indication can be given about the rate at which a harmful concentration of this substance in the air is reached.

---

## **SECTION 12: Ecological information**

## **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

## **Persistence and degradability**

no data available

## **Bioaccumulative potential**

no data available

## **Mobility in soil**

no data available

## **Other adverse effects**

no data available

---

# SECTION 13: Disposal considerations

## **Disposal methods**

### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

# SECTION 14: Transport information

## **UN Number**

ADR/RID: UN3082 (For reference only, please check.)

IMDG: UN3082 (For reference only, please check.)

IATA: UN3082 (For reference only, please check.)

## **UN Proper Shipping Name**

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (For reference only, please check.)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (For reference only, please check.)

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (For reference only, please check.)

## **Transport hazard class(es)**

ADR/RID: 9 (For reference only, please check.)

IMDG: 9 (For reference only, please check.)

IATA: 9 (For reference only, please check.)

#### **Packing group, if applicable**

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

#### **Special precautions for user**

no data available

#### **Transport in bulk according to IMO instruments**

no data available

---

## SECTION 15: Regulatory information

### **Safety, health and environmental regulations specific for the product in question**

#### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

#### **EC Inventory**

Listed.

#### **United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

#### **China Catalog of Hazardous chemicals 2015**

Not Listed.

#### **New Zealand Inventory of Chemicals (NZIoC)**

Not Listed.

#### **PICCS**

Not Listed.

#### **Vietnam National Chemical Inventory**

Listed.

#### **IECSC**

Listed.

#### **Korea Existing Chemicals List (KECL)**

Listed.

---



## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pagelD=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pagelD=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

This card is based on a mixture of m-diisopropylbenzene (CAS # 99-62-7) and p-diisopropylbenzene (CAS # 100-18-5).

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.