

## Chemical Safety Data Sheet MSDS / SDS

## Monoethanolamine

Revision Date:2025-01-25 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Monoethanolamine  
CBnumber : CB1218589  
CAS : 141-43-5  
EINECS Number : 205-483-3  
Synonyms : ethanolamine,MONOETHANOLAMINE

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Hazard statements**

H226 Flammable liquid and vapour

H227 Combustible liquid

H302 Harmful if swallowed

H311 Toxic in contact with skin

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H332 Harmful if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation

H361 Suspected of damaging fertility or the unborn child

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Monoethanolamine
Synonyms	: ethanolamine, MONOETHANOLAMINE
CAS	: 141-43-5
EC number	: 205-483-3
MF	: C <sub>2</sub> H <sub>7</sub> NO
MW	: 61.08

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

**Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable extinguishing media**

Do NOT use water jet.

**Special hazards arising from the substance or mixture**


Carbon oxides, Nitrogen oxides (NO<sub>x</sub>) Combustible.

**Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**Further information**

Use water spray to cool unopened containers.

**NFPA 704**

■ HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

■ FIRE 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100

and 200 °F). (e.g. diesel fuel, [sulfur](#))

---

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

### Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

hygroscopic

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

## Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

#### Full contact

Material: Nature latex/chloroprene Minimum layer thickness: 0,6 mm Break through time: 480 min

Material tested:Lapren? (KCL 706 / Aldrich Z677558, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,2 mm Break through time: 30 min

Material tested:Dermatril? P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Exposure limits

TLV-TWA 3 ppm ( $\sim 7.5 \text{ mg/m}^3$ ) (ACGIH, MSHA, and OSHA); TLV-STEL 6 ppm ( $\sim 15 \text{ mg/m}^3$ ) (ACGIH); IDLH 1000 ppm (NIOSH).

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance colourless liquid, clear

Odour amine-like

Odour Threshold	No data available
pH	12,1 at 100 g/l at 20 °C
Melting point/freezing point	Melting point/range: 10 - 11 °C - lit.
Initial boiling point and boiling range	170 °C - lit. 69 - 70 °C at 13 hPa
Flash point	91 °C at ca.1.013 hPa - Pensky-Martens closed cup - ISO 2719
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 17 %(V) Lower explosion limit: 2,5 %(V)
Vapour pressure	0,5 hPa at 20 °C - (calculated)
Vapour density	2,11 - (Air = 1.0)
Relative density	1,012 g/cm <sup>3</sup> at 25 °C
Water solubility	1.000 g/l at 20 °C - completely miscible
Partition coefficient: n-octanol/water	log Pow: -2,3 at 25 °C - Bioaccumulation is not expected.
Autoignition temperature	424 °C at 1.013 hPa - ASTM E-659
Decomposition temperature	No data available
Viscosity	23,5 mm <sup>2</sup> /s at 20 °C - 9,8 mm <sup>2</sup> /s at 40 °C -
Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	1.61(x 10 <sup>-10</sup> atm <sup>2</sup> m <sup>3</sup> /mol) at 20 °C (Bone et al., 1983)

### Other safety information

Relative vapour density

2,11 - (Air = 1.0)

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Absorbs carbon dioxide (CO<sub>2</sub>) from air.

Stable under recommended storage conditions.

### Possibility of hazardous reactions

No data available

### Conditions to avoid

Exposure to moisture Heat, flames and sparks.

### Incompatible materials

Strong acids and oxidizing agents, Iron, Copper, Brass, Rubber

## Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 1.089 mg/kg (OECD Test Guideline 401)

LD50 Dermal - Rabbit - 1.015 mg/kg Remarks: (RTECS)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive - 4 h (OECD Test Guideline 404)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405) Causes serious eye damage.

#### Respiratory or skin sensitisation

Remarks: (ECHA)

#### Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium Result: negative

Chromosome aberration test in vitro rat hepatocytes

Result: negative

In vitro mammalian cell gene mutation test mouse lymphoma cells

Result: negative

In vitro mammalian cell gene mutation test Chinese hamster fibroblasts

Result: negative (ECHA)

OECD Test Guideline 474

Mouse - male and female - Bone marrow Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### Additional Information

Repeated dose toxicity - Rat - male and female - Oral - > 75 Days - No observed adverse effect level - 300 mg/kg

(ECHA)

RTECS: KJ5775000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

#### **Toxicity**

LD50 orally in rats: 10.20 g/kg (Smyth)

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

semi-static test LC50 - *Cyprinus carpio* (Carp) - 349 mg/l - 96 h (Tested according to Directive 92/69/EEC.)

#### **Toxicity to daphnia and other aquatic invertebrates**

static test EC50 - *Daphnia magna* (Water flea) - 65 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2)

#### **Toxicity to algae**

static test ErC50 - *Pseudokirchneriella subcapitata* (green algae) - 2,8 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - *Pseudokirchneriella subcapitata* (green algae) - 1 mg/l - 72 h

(OECD Test Guideline 201)

#### **Toxicity to bacteria**

static test EC10 - activated sludge - > 1.000 mg/l - 30 min (OECD Test Guideline 209)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 21 d

Result: > 90 % - Readily biodegradable. (OECD Test Guideline 301A)

Result: 90 - 100 % - Readily biodegradable. (OECD Test Guideline 301F)

Biochemical Oxygen Demand (BOD)

800 mg/g Remarks: (IUCLID)

Theoretical oxygen 1.310 mg/g

demand Remarks: (IUCLID)

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



## Toxics Screening Level

The initial threshold screening level (ITSL) for monoethanolamine (CAS #141-43-5) is 80 µg/m<sup>3</sup> with an 8-hour averaging time.

## Other adverse effects

Toxic to aquatic life.

Additional ecological information

Toxic to aquatic life.

---

## SECTION 13: Disposal considerations

### Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Incompatibilities

Monoethanolamine contains both a hydroxy group and a primary amine group and will thus undergo reactions characteristic of both alcohols and amines. Ethanolamines will react with acids to form salts and esters. Discoloration and precipitation will take place in the presence of salts of heavy metals.

#### Waste Disposal

Controlled incineration; incinerator equipped with a scrubber or thermal unit to reduce nitrogen oxides emissions

#### Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

### UN number

ADR/RID: 2491 IMDG: 2491

### UN proper shipping name

ADR/RID: ETHANOLAMINE IMDG: ETHANOLAMINE IATA: Ethanolamine

### Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

### Packaging group

ADR/RID: III IMDG: III IATA: III

### Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

## Special precautions for user

No data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: <https://www.mem.gov.cn/>

#### Measures for Environmental Management of New Chemical Substances

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### **Other Information**

Depending on the degree of exposure, periodic medical examination is suggested. The odour warning when the exposure limit value is exceeded is insufficient. Do NOT take working clothes home.

#### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.