Chemical Safety Data Sheet MSDS / SDS

Ethyl pyruvate

Revision Date: 2025-01-25 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Ethyl pyruvate

CBnumber : CB3198366

CAS : 617-35-6

EINECS Number : 210-511-2

Synonyms : Ethyl pyruvate,ethyl 2-oxopropanoate

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Warning

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

Hazard statements

H226 Flammable liquid and vapour

SECTION 3: Composition/information on ingredients

Substance

Product name : Ethyl pyruvate

Synonyms : Ethyl pyruvate,ethyl 2-oxopropanoate

CAS : 617-35-6
EC number : 210-511-2
MF : C5H8O3
MW : 116.12

SECTION 4: First aid measures

Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Nature of decomposition products not known. Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.


Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb?). Dispose of properly. Clean up affected area.

Reference to other sections

For disposal see section 13.

Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage stability

Recommended storage temperature 2 - 8 °C

Storage class

Storage class (TRGS 510): 3: Flammable liquids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Odour No data available Odour Threshold No data available pH No data available Melting point/freezing point Melting point/range:< -20 °C - Regulation (EC) No. 440/2008, Annex, A. Initial boiling point and boiling range 1 144 °C - lit. Flash point 46 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits No data available Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow. 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Appearance	light yellow clear, liquid
PH No data available Melting point/freezing point Melting point/range: < -20 °C - Regulation (EC) No. 440/2008, Annex, A. Initial boiling point and boiling range 1 144 °C - lit. Flash point 46 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow. 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Odour	No data available
Melting point/freezing point Melting point/range:< -20 °C - Regulation (EC) No. 440/2008, Annex, A. Initial boiling point and boiling range 1 144 °C - lit. Flash point 46 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow. 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Odour Threshold	No data available
Initial boiling point and boiling range Flash point 46 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility Partition coefficient: n-octanol/water log Pow. 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	рН	No data available
Flash point 46 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive Imits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Melting point/freezing point	Melting point/range:< -20 °C - Regulation (EC) No. 440/2008, Annex, A.
Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive Ilmits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Initial boiling point and boiling range	1 144 °C - lit.
Flammability (solid, gas) No data available Upper/lower flammability or explosive limits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Flash point	46 °C - closed cup
Upper/lower flammability or explosive limits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Evaporation rate	No data available
limits Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Flammability (solid, gas)	No data available
Vapour pressure 2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Upper/lower flammability or explosive	No data available
Vapour density No data available Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow. 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	limits	
Relative density 1,045 g/cm3 at 25 °C - lit. No data available Water solubility 10g/l Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Vapour pressure	2,36 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4
Water solubility 10g/I Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Vapour density	No data available
Partition coefficient: n-octanol/water log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Relative density	1,045 g/cm3 at 25 °C - lit. No data available
expected. Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available		
Autoignition temperature 427 - 437 °C at 988 - 1.001 hPa Decomposition temperature No data available	Water solubility	10g/l
Decomposition temperature No data available		
		log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not
	Partition coefficient: n-octanol/water	log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected.
Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available	Partition coefficient: n-octanol/water Autoignition temperature	log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. 427 - 437 °C at 988 - 1.001 hPa
Explosive properties No data available	Partition coefficient: n-octanol/water Autoignition temperature	log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. 427 - 437 °C at 988 - 1.001 hPa
Oxidizing properties No data available	Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Viscosity	log Pow: 0,435 at 22,5 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected. 427 - 437 °C at 988 - 1.001 hPa No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available

Other safety information

Surface tension 72,6 mN/m at 20 °C

- Regulation (EC) No. 440/2008, Annex, A.5

SECTION 10: Stability and reactivity

Reactivity

Vapor/air-mixtures are explosive at intense warming.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with:

Oxidizing agents Bases

acids

Conditions to avoid

Heating.

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 5.000 mg/kg Remarks: (ECHA)

Inhalation

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Corrosive after 3 minutes to 1 hour of exposure (OECD Test Guideline 431)

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline

471

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Toxicity

LD50 orally in Rabbit: > 2000 mg/kg LD50 dermal Rat > 2000 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - ca. 25 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae

semi-static test ErC50 - Pseudokirchneriella subcapitata - ca. 2,5 mg/l - 72 h

(OECD Test Guideline 201)

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 97 % - Readily biodegradable. (OECD Test Guideline 301F)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 2920 IMDG: 2920 IATA: 2920

UN proper shipping name

ADR/RID: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ethyl pyruvate) IMDG: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ethyl pyruvate)

IATA: Corrosive liquid, flammable, n.o.s. (ethyl pyruvate)

Transport hazard class(es)

ADR/RID: 8 (3) IMDG: 8 (3) IATA: 8 (3)

Packaging group

ADR/RID: II IMDG: II IATA: II

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.