

## Chemical Safety Data Sheet MSDS / SDS

## Ferrocene

Revision Date:2024-12-21 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Ferrocene  
CBnumber : CB1414721  
CAS : 102-54-5  
EINECS Number : 203-039-3  
Synonyms : ferrocene,ermaotie

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P501 Dispose of contents/container to....  
P405 Store locked up.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P370+P378 In case of fire: Use ... for extinction.  
P314 Get medical advice/attention if you feel unwell.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P271 Use only outdoors or in a well-ventilated area.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash skin thoroughly after handling.  
P264 Wash hands thoroughly after handling.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.  
P240 Ground/bond container and receiving equipment.  
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### **Hazard statements**

H411 Toxic to aquatic life with long lasting effects  
H410 Very toxic to aquatic life with long lasting effects  
H401 Toxic to aquatic life  
H373 May cause damage to organs through prolonged or repeated exposure  
H361 Suspected of damaging fertility or the unborn child  
H335 May cause respiratory irritation  
H320 Causes eye irritation  
H302 Harmful if swallowed  
H228 Flammable solid

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Ferrocene
Synonyms	: ferrocene,ermaotie
CAS	: 102-54-5
EC number	: 203-039-3
MF	: C <sub>10</sub> H <sub>10</sub> Fe
MW	: 186.03

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

#### **In case of eye contact**

Flush eyes with water as a precaution.

#### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special hazards arising from the substance or mixture

Carbon oxides, Iron oxides


### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### Further information

Use water spray to cool unopened containers.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

## **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **Methods and materials for containment and cleaning up**

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

## **Reference to other sections**

For disposal see section 13.

---

# SECTION 7: Handling and storage

## **Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## **Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Heat sensitive.

## **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# SECTION 8: Exposure controls/personal protection

## **control parameter**

### **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

## **Exposure controls**

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### **Personal protective equipment**

#### **Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	crystalline
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: 172 - 174 °C - lit.
Initial boiling point and boiling range	249 °C - lit.
Flash point	100°C
Evaporation rate	No data available
Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1.
Upper/lower flammability or explosive limits	No data available
Vapour pressure	0.03 mm Hg ( 40 °C)
Vapour density	No data available
Relative density	No data available
Water solubility	0,0001 g/l - slightly soluble
Partition coefficient: n-octanol/water	log Pow: 2,66 - The preceding data, or interpretation of data, was determined using Quantitative

Structure Activity Relationship (QSAR) modeling.

---

Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

---

#### **Other safety information**

No data available

---

## SECTION 10: Stability and reactivity

### **Reactivity**

No data available

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of hazardous reactions**

No data available

### **Conditions to avoid**

Heat, flames and sparks.

### **Incompatible materials**

Strong oxidizing agents

### **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Iron oxides

Other decomposition products - No data available In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### **Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - 1.320 mg/kg

Inhalation: Harmful by inhalation.

LD50 Dermal - Rat - > 3.000 mg/kg (OECD Test Guideline 402)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### **Respiratory or skin sensitisation**

Maximisation Test - Guinea pig

Result: Does not cause skin sensitisation. (OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Hamster ovary

Sister chromatid exchange

#### **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

Suspected of damaging fertility or the unborn child. Suspected human reproductive toxicant

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Liver

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: LK0700000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **Toxicity**

LD50 orally in Rabbit: 1320 mg/kg LD50 dermal Rat > 3000 mg/kg

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

- *Leuciscus idus melanotus* - 12,3 mg/l - 96 h

(OECD Test Guideline 203)

#### **Toxicity to daphnia and other aquatic invertebrates**

EC50 - *Daphnia magna* (Water flea) - 1,17 mg/l - 48 h (OECD Test Guideline 202)

NOEC - *Daphnia magna* (Water flea) - 0,0015 mg/l

#### **Toxicity to algae**

EC50 - *Desmodesmus subspicatus* (green algae) - 1,03 mg/l - 72 h

(OECD Test Guideline 201)

#### **Persistence and degradability**

Biodegradability Result: 73 % - Inherently biodegradable.

(OECD Test Guideline 301B)

#### **Bioaccumulative potential**

No bioaccumulation is to be expected ( $\log P_{ow} \leq 4$ ).

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Other adverse effects**

Very toxic to aquatic life with long lasting effects. No data available

---

## **SECTION 13: Disposal considerations**

### **Waste treatment methods**

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### **Incompatibilities**

Violent reaction with ammonium per chlorate, tetranitromethane, mercury(II) nitrate. Incompatible with oxidizers (chlorates, nitrates, peroxides, permanganates, perchlorates, chlorine, bromine, fluorine, etc.); contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, epoxides.

Peroxomonosulfuric acid. Decomposes @  $\geq 465$  °C.

#### **Contaminated packaging**

Dispose of as unused product.

---

## **SECTION 14: Transport information**

### **UN number**

ADR/RID: 1325 IMDG: 1325 IATA: 1325

### **UN proper shipping name**

ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (Ferrocene) IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (Ferrocene)

IATA: Flammable solid, organic, n.o.s. (Ferrocene)

### **Transport hazard class(es)**

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

### **Packaging group**

ADR/RID: II IMDG: II IATA: II

### **Environmental hazards**



ADR/RID: yes IMDG Marine pollutant: yes IATA: no

### Special precautions for user

No data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

#### Measures for Environmental Management of New Chemical Substances

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

**[1]** CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

**[2]** ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

**[3]** ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

**[4]** eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

**[5]** ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

**[6]** Germany GESTIS-database on hazard substance, website: <http://www.dquv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>  
Chemical Book

- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.