Chemical Safety Data Sheet MSDS / SDS

Guanidine thiocyanate

Revision Date:2024-12-21 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Guanidine thiocyanate	
CBnumber	: CB0476913	
CAS	: 593-84-0	
EINECS Number	: 209-812-1	
Synonyms	: Guanidine thiocyanate, Guanidine isothiocyanate	
Relevant identified uses of the substance or mixture and uses advised against		
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.	
Uses advised against	: none	
Company Identification		
Company	: Chemicalbook	
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing	
Telephone	: 400-158-6606	

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing. P321 Specific treatment (see ... on this label). P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container to..... **Hazard statements** H302 Harmful if swallowed H312 Harmful in contact with skin H314 Causes severe skin burns and eye damage H315 Causes skin irritation H319 Causes serious eye irritation H322 Harmful if inhaled H335 May cause respiratory irritation H402 Harmful to aquatic life H412 Harmful to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients

Substance

Product name	: Guanidine thiocyanate
Synonyms	: Guanidine thiocyanate, Guanidine isothiocyanate
CAS	: 593-84-0
EC number	: 209-812-1
MF	: CH5N3.CHNS
MW	: 118.16

SECTION 4: First aid measures

Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor

If inhaled

If breathing stops: immediately apply artificial respiration, if necessary also oxygen. After inhalation: fresh air. Immediately call in physician. If

breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Combustible.

Risk of dust explosion.

Development of hazardous combustion gases or vapours possible in the event of fire.


Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Do not store near acids. Light sensitive. Hygroscopic. Store under inert gas.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L **Body Protection** protective clothing **Respiratory protection** required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	white solid
Odour	odorless
Odour Threshold	Not applicable
рН	4.8-6.0 (1420g/l, H2O, 20℃)(saturated solution)
Melting point/freezing point	Melting point/range: 115 - 122 °C
Initial boiling point and boiling range	No data available

Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable Flammability (solids)
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	< 0,1 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4
Vapour density	No data available
Relative density	ca.1,29 at 25 °C - Regulation (EC) No. 440/2008, Annex, A.3
Water solubility	ca.636 g/l at 25 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	does not ignite
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

Other safety information

No data available

SECTION 10: Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Contact with acids liberates very toxic gas.

.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: Acids Generates dangerous gases or fumes in contact with: Acids

Conditions to avoid

Contact with acids liberates very toxic gas. no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 593 mg/kg (OECD Test Guideline 401) Symptoms: Possible damages:, Nausea, Vomiting Acute toxicity estimate Inhalation - 1,6 mg/l (Expert judgment) Acute toxicity estimate Inhalation - 1,6 mg/l (Expert judgment) Acute toxicity estimate Dermal - 1.100,1 mg/kg (Expert judgment) Acute toxicity estimate Dermal - 1.100,1 mg/kg (Expert judgment) Skin corrosion/irritation Skin - Rabbit Result: Corrosive after 1 to 4 hours of exposure - 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitization No data available Germ cell mutagenicity Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster fibroblasts Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish

static test LC50 - Poecilia reticulata (guppy) - ca. 89,1 mg/l - 96 h (OECD Test Guideline 203) **Toxicity to daphnia and other aquatic invertebrates** static test EC50 - Daphnia magna (Water flea) - 42,4 mg/l - 48 h (OECD Test Guideline 202) **Toxicity to algae** static test ErC50 - Desmodesmus subspicatus (green algae) - 130 mg/l - 72 h (DIN 38412)

Toxicity to bacteria

static test EC50 - activated sludge - > 185 mg/l - 28 h Remarks: (ECHA)

Persistence and degradability

Biodegradability aerobic Dissolved organic carbon (DOC) - Exposure time 28 d Result: 46 % - Inherently biodegradable.

(OECD Test Guideline 302B)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 1759 IMDG: 1759 IATA: 1759

UN proper shipping name

ADR/RID: CORROSIVE SOLID, N.O.S. (guanidinium, thiocyanate (1:1)) IMDG: CORROSIVE SOLID, N.O.S. (guanidinium, thiocyanate (1:1)) IATA: Corrosive solid, n.o.s. (guanidinium, thiocyanate (1:1))

Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

Packaging group

ADR/RID: III IMDG: III IATA: III

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/ EC Inventory:Listed. European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/ Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/ United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/ Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Korea Existing Chemicals List (KECL):Not Listed. website: http://ncis.nier.go.kr

SECTION 16: Other information

Abbreviations and acronyms

TWA: Time Weighted Average

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CAS: Chemical Abstracts Service EC50: Effective Concentration 50% IATA: International Air Transportation Association IMDG: International Maritime Dangerous Goods LC50: Lethal Concentration 50% LD50: Lethal Dose 50% RID: Regulation concerning the International Carriage of Dangerous Goods by Rail STEL: Short term exposure limit

Chemical Book

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:
- http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.