# Chemical Safety Data Sheet MSDS / SDS

# Hexamethyldisilazane

Revision Date: 2025-02-01 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Hexamethyldisilazane

CBnumber : CB9105784

CAS : 999-97-3

EINECS Number : 213-668-5

Synonyms : HMDS, Hexamethyldisilazane

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

# Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### Hazard statements

H412 Harmful to aquatic life with long lasting effects

H331 Toxic if inhaled

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

H311 Toxic in contact with skin

H302 Harmful if swallowed

H225 Highly Flammable liquid and vapour

# SECTION 3: Composition/information on ingredients

### **Substance**

Product name : Hexamethyldisilazane

Synonyms : HMDS,Hexamethyldisilazane

CAS : 999-97-3
EC number : 213-668-5
MF : C6H19NSi2
MW : 161.39

# SECTION 4: First aid measures

### Description of first aid measures

#### General advice

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

Foam Water

# Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) silicon oxides

Flash back possible over considerable distance., Container explosion may occur under fire conditions.

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# Advice for firefighters


Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **NFPA 704**

**FIRE** 



HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. acetone, sodium bromate, potassium chloride)

3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, acetone)

Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature

REACT 1 Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)

SPEC.

HAZ.

# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquidabsorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

### Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

# Storage conditions

Handle under nitrogen, protect from moisture. Store under nitrogen.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Hydrolyzes readily.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

 $\label{eq:minimum layer thickness: 0,4 mm Break through time: 480 min} \ Minimum layer thickness: 0,4 mm Break through time: 480 min$ 

Material tested: Camatril? (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Chloroprene

Minimum layer thickness: 0,65 mm Break through time: 240 min Material tested: KCL 720 Camapren?

**Body Protection** 

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type K

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	colorless liquid, clear
Odour	No data available
Odour Threshold	No data available
рН	>7,0
Melting point/freezing point	Melting point/range: -76,2 °C at 1.013 hPa
Initial boiling point and boiling range	125 °C
Flash point	11,4 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 16,3 %(V) Lower explosion limit: 0,8 %(V)
limits	

Vapour pressure	19 hPa at 20 °C
Vapour density	4.6 (vs air)
Relative density	0,77 at 20 °C
Water solubility	insoluble
Partition coefficient: n-octanol/water	log Pow: 2,62
Autoignition temperature	380,0 °C
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 0,9 mm2/s at 20 °C Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

No data available

# SECTION 10: Stability and reactivity

# Reactivity

Vapors may form explosive mixture with air.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) . Hydrolyzes readily.

# Possibility of hazardous reactions

No data available

# **Conditions to avoid**

Ammonia is formed upon contact with water or humid air. Warming.

# Incompatible materials

Strong oxidizing agents, Strong acids

# Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

# Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 851 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 6 h - 10 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - 547 - 589 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

# Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Ames test

S. typhimurium Result: negative

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

#### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

LDLO i.p. in mice: 650 mg/kg (Petrarch Systems Inc. Product Information Sheets)

# **SECTION 12: Ecological information**

# **Toxicity**

## Toxicity to fish

semi-static test LC50 - Danio rerio (zebra fish) - 88 mg/l - 96 h (Directive 67/548/EEC, Annex V, C.1.)

### Toxicity to daphnia and other aquatic invertebrates

 $static \ test \ EC50 - Daphnia \ magna \ (Water \ flea) - 80 \ mg/l - 48 \ h \ (Directive \ 67/548/EEC, \ Annex \ V, \ C.2.)$ 

# Toxicity to algae

EC50 - Desmodesmus subspicatus (green algae) - 19,00 mg/l - 72 h

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 15,3 % - Not readily biodegradable. (Directive 67/548/EEC Annex V, C.4.E.)

# Bioaccumulative potential

No data available

### Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Toxics Screening Level**

The ITSL is 206 µg/m3, based on annual averaging time.

#### Other adverse effects

# **SECTION 13: Disposal considerations**

### Waste treatment methods

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

# **UN** number

ADR/RID: 1992 IMDG: 1992 IATA: 1992

### **UN proper shipping name**

ADR/RID: FLAMMABLE LIQUID, TOXIC, N.O.S. (1,1,1,3,3,3-hexamethyldisilazane) IMDG: FLAMMABLE LIQUID, TOXIC, N.O.S. (1,1,1,3,3,3-hexamethyldisilazane)

hexamethyldisilazane)

IATA: Flammable liquid, toxic, n.o.s. (1,1,1,3,3,3-hexamethyldisilazane)

# Transport hazard class(es)

ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA: 3 (6.1)

### **Packaging group**

ADR/RID: II IMDG: II IATA: II

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

No data available

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

# Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.