# Chemical Safety Data Sheet MSDS / SDS

# Hexamethyleneimine

Revision Date:2024-12-21 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

| Product name  | : Hexamethyleneimine   |  |  |  |  |
|---|--|--|--|--|--|
| CBnumber  | : CB6852841  |  |  |  |  |
| CAS   | : 111-49-9   |  |  |  |  |
| EINECS Number   | : 203-875-9  |  |  |  |  |
| Synonyms  | : Hexamethyleneimine,HMI   |  |  |  |  |
| Relevant identified uses of the substance or mixture and uses advised against |  |  |  |  |  |
| Relevant identified uses  | : For R&D use only. Not for medicinal, household or other use.                       |  |  |  |  |
| Uses advised against  | : none   |  |  |  |  |
| Company Identification  |  |  |  |  |  |
| Company   | : Chemicalbook   |  |  |  |  |
| Address   | : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing |  |  |  |  |
|   |  |  |  |  |  |

# SECTION 2: Hazards identification

#### GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

#### Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

1

#### Hazard statements

- H332 Harmful if inhaled
- H331 Toxic if inhaled
- H318 Causes serious eye damage
- H314 Causes severe skin burns and eye damage
- H312 Harmful in contact with skin
- H300 Fatal if swallowed
- H225 Highly Flammable liquid and vapour

# SECTION 3: Composition/information on ingredients

#### Substance

| Product name | : Hexamethyleneimine     |
|--------------|--------------------------|
| Synonyms     | : Hexamethyleneimine,HMI |
| CAS          | : 111-49-9               |
| EC number    | : 203-875-9              |
| MF           | : C6H13N                 |
| MW           | : 99.17                  |
|              |                          |

### SECTION 4: First aid measures

#### Description of first aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

#### **Extinguishing media**

#### Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

#### Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx) Combustible.


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

#### **NFPA 704**



| HEALTH        | 4 | Very short exposure could cause death or major residual injury (e.g. hydrogen cyanide, phosgene, methyl isocyanate, <u>hydrofluoric acid</u> )   |
|---------------|---|--|
| FIRE          | 3 | Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <u>acetone</u> ) |
| REACT         | 0 | Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)   |
| SPEC.<br>HAZ. |   |  |

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

#### **Reference to other sections**

For disposal see section 13.

### SECTION 7: Handling and storage

#### Precautions for safe handling

Avoid contact with skin and eyes.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

| Appearance                              | liquid   |
|---|--|
| Odour                                   | amine-like   |
| Odour Threshold                         | No data available  |
| рН                                      | No data available  |
| Melting point/freezing point            | Melting point: -37 °C  |
| Initial boiling point and boiling range | 138 °C at 999 hPa - lit.   |
| Flash point                             | 22 °C - closed cup   |
| Evaporation rate                        | No data available  |
| Flammability (solid, gas)               | No data available  |
| Upper/lower flammability or explosive   | Upper explosion limit: 9,9 %(V) Lower explosion limit: 1,6 %(V)    |
| limits                                  |  |
| Vapour pressure                         | 12,5 hPa at 20 °C  |
| Vapour density                          | 3,43 - (Air = 1.0)   |
| Relative density                        | 0,88 g/cm3 at 25 °C  |
| Water solubility                        | soluble  |
| Partition coefficient: n-octanol/water  | log Pow: 1,7 at 20 °C - Bioaccumulation is not expected.           |
| Autoignition temperature                | No data available  |
| Decomposition temperature               | >300 °C - Distillable in an undecomposed state at normal pressure. |
| Viscosity                               | No data available  |
| Events show where early a               |  |
| Explosive properties                    | No data available  |

#### Other safety information

Solubility in other solvents

Relative vapor density Ether at 20 °C soluble Ethanol at 20 °C soluble 3,43 - (Air = 1.0)

# SECTION 10: Stability and reactivity

### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

#### **Conditions to avoid**

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### Incompatible materials

No data available

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available In the event of fire: see section 5

### SECTION 11: Toxicological information

#### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 410 mg/kg

Remarks: (External MSDS) LD50 Oral - Rat - 20,7 mg/kg

Remarks: Behavioral:Food intake (animal). Lungs, Thorax, or Respiration:Pulmonary emboli. Liver:Other changes.

LC50 Inhalation - Mouse - 2 h - 10.800 mg/m3

#### Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive after 1 to 4 hours of exposure - 4 h Remarks: (ECHA)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

Remarks: (Lit.)

Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium Result: negative

Mutagenicity (mammal cell test): chromosome aberration. Human lymphocytes

Result: negative

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

#### Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

#### Additional Information

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 50 mg/kg

#### RTECS: CM3150000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath,

#### Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### Toxicity

LD50 orally in Rabbit: 410 mg/kg

### SECTION 12: Ecological information

#### Toxicity

#### Toxicity to fish

flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h

(OECD Test Guideline 203)

#### Toxicity to daphnia and other aquatic invertebrates

flow-through test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

#### Toxicity to algae

static test ErC50 - Selenastrum capricornutum (green algae) - 88 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Selenastrum capricornutum (green algae) - 10 mg/l - 72 h

(OECD Test Guideline 201)

#### Toxicity to bacteria

EC5 - Bacteria - 127 mg/l

Remarks: (Hommel)

#### Persistence and degradability

Biodegradability Result: > 60 % - Moderately (partly) eliminable (DOC reduction 20-

70 %).

(OECD Test Guideline 302B) Remarks: (External MSDS)

#### **Bioaccumulative potential**

No data available

Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

Biological effects:

Forms corrosive mixtures with water even if diluted. Discharge into the environment must be avoided.

### SECTION 13: Disposal considerations

#### Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **Contaminated packaging**

Dispose of as unused product.

# SECTION 14: Transport information

#### **UN number**

ADR/RID: 2493 IMDG: 2493 IATA: 2493

#### UN proper shipping name

#### ADR/RID: HEXAMETHYLENEIMINE IMDG: HEXAMETHYLENEIMINE

IATA: Hexamethyleneimine

| -    |                                       |             |
|------|---------------------------------------|-------------|
| 14.2 | Transport hazard class(es)            |             |
| 14.3 | ADR/RID: 3 (8) IMDG: 3 (8)            | IATA: 3 (8) |
| 111  | Packaging group                       |             |
| 14.4 | Adr/Rid: II IMDG: II                  | IATA: II    |
| 445  | Environmental hazards                 |             |
| 14.5 | ADR/RID: no IMDG Marine pollutant: no | IATA: no    |
| 14.0 | Special precautions for user          |             |
| 14.6 | No data available                     |             |

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

 Regulations on the Safety Management of Hazardous Chemicals

 China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

 Measures for Environmental Management of New Chemical Substances

 New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

 Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

 EC Inventory:Listed.

 United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

 Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

 Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

 Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

 European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

### **SECTION 16: Other information**

#### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.