Chemical Safety Data Sheet MSDS / SDS

N,N-DIMETHYLFORMAMIDE-D7

Revision Date:2024-11-02 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

: N,N-DIMETHYLFORMAMIDE-D7					
: CB5671517					
: 4472-41-7					
: 224-745-8					
: N,N-Dimethylformamide-d7,N,N-bis(methyl-d3)formamide-d					
Relevant identified uses of the substance or mixture and uses advised against					
: For R&D use only. Not for medicinal, household or other use.					
: none					
: Chemicalbook					
: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, I					
: 400-158-6606					

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

0

Signal word

Danger

Precautionary statements

P310 Immediately call a POISON CENTER or doctor/physician.

P309 IF exposed or if you feel unwell:

P308+P313 IF exposed or concerned: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

Hazard statements

H360 May damage fertility or the unborn child

H332 Harmful if inhaled

Beijing

SECTION 3: Composition/information on ingredients

Substance

Product name	: N,N-DIMETHYLFORMAMIDE-D7
Synonyms	: N,N-Dimethylformamide-d7,N,N-bis(methyl-d3)formamide-d
CAS	: 4472-41-7
EC number	: 224-745-8
MF	: C3H7NO
MW	: 73.1

SECTION 4: First aid measures

Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

Fire may cause evolution of:

nitrogen oxides

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.


Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)	
FIRE	2	Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <u>sulfur</u>)	
REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)	
SPEC.			
HAZ.			

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquidabsorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Recommended storage temperature see product label.

recommended storage temperature see product a

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety

glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving
in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved
gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).
Full contact
Material: butyl-rubber
Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject? (KCL 898)
This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving
in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved
gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).
Splash contact Material: Viton?
Minimum layer thickness: 0,7 mm Break through time: 240 min
Material tested:Vitoject? (KCL 890 / Aldrich Z677698, Size M)
Body Protection
Flame retardant antistatic protective clothing.
Respiratory protection
Recommended Filter type: Filter A-(P3)
The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the
instructions of the producer.
These measures have to be properly documented.
Control of environmental exposure
Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	colorless liquid
Odour	weakly amine-like
Odour Threshold	0,329 ppm
рН	No data available
Melting point/freezing point	Melting point: -60 °C
Initial boiling point and boiling range	152 °C at 1.013 hPa
Flash point	58 °C - DIN 51755 Part 1
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 16 %(V) Lower explosion limit: 2,2 %(V)
limits	
Vapour pressure	3,77 hPa at 20 °C
Vapour density	2,51
Relative density	No data available
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	log Pow: -0,85 - Bioaccumulation is not expected.
Autoignition temperature	No data available

Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

Other safety information

Relative vapor density

2,51

SECTION 10: Stability and reactivity

Reactivity

Vapor/air-mixtures are explosive at intense warming.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with: Alkali metals halogens halides Reducing agents triethylaluminium nitrates metallic oxides nonmetallic oxides Halogenated hydrocarbon Isocyanates sodium Sodium borohydride hydrides Oxidizing agents Oxides of phosphorus A risk of explosion and/or of toxic gas formation exists with the following substances: azides Bromine Chlorine chromium(VI) oxide potassium permanganate triethylaluminium chlorates Halogenated hydrocarbon with Iron

Conditions to avoid

Heating.

Incompatible materials

various plastics, Copper, Copper alloys, Tin

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 3.010 mg/kg (OECD Test Guideline 401) Remarks: The value is given in analogy to the following substances: N,N- dimethylformamide LC50 Inhalation - Rat - 4 h - 9 - 15 mg/l Remarks: (Lit.) The value is given in analogy to the following substances: N,N-dimethylformamide LD50 Dermal - Rabbit - 1.500 mg/kg Remarks: (IUCLID) The value is given in analogy to the following substances: N,N-dimethylformamide Skin corrosion/irritation Skin - Rabbit Result: No skin irritation Remarks: (IUCLID) The value is given in analogy to the following substances: N,N-dimethylformamide Serious eye damage/eye irritation Eyes - Rabbit Result: Eye irritation Remarks: (IUCLID) The value is given in analogy to the following substances: N,N-dimethylformamide Respiratory or skin sensitization Remarks: (Lit.) The value is given in analogy to the following substances: N,N-dimethylformamide Sensitisation test: - Mouse Result: negative (OECD Test Guideline 406) Remarks: The value is given in analogy to the following substances: N,N- dimethylformamide Germ cell mutagenicity Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: N,N-dimethylformamide Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: N,N-dimethylformamide Carcinogenicity No data available **Reproductive toxicity** May damage the unborn child. Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Toxicity

SECTION 12: Ecological information

Toxicity

Toxicity to fish

flow-through test LC50 - Lepomis macrochirus (Bluegill sunfish) -

7.100 mg/l - 96 h (US-EPA)

Remarks: The value is given in analogy to the following substances: N,N-dimethylformamide

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 13.100 mg/l - 48 h (OECD Test Guideline 202) Remarks: The value is given in analogy to the following substances: N,N-dimethylformamide

Toxicity to algae

static test EC50 - Desmodesmus subspicatus (green algae) - > 1.000 mg/l - 72 h (DIN 38412) Remarks: The value is given in analogy to the following substances: N,N-dimethylformamide

Toxicity to bacteria

static test EC50 - Vibrio fischeri - 12.300 - 17.500 mg/l - 5 min Remarks: (ECHA) The value is given in analogy to the following substances: N,N- dimethylformamide

Persistence and degradability

Biodegradability Result: - Readily biodegradable. aerobic - Exposure time 21 d (OECD Test Guideline 301E) Remarks: The value is given in analogy to the following substances: N,N-dimethylformamide

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 2265 IMDG: 2265 IATA: 2265

UN proper shipping name

ADR/RID: N,N-DIMETHYLFORMAMIDE IMDG: N,N-DIMETHYLFORMAMIDE

IATA: N,N-Dimethylformamide

Transport hazard clas	s(es)
ADR/RID: 3 IMDG: 3	IATA: 3
Packaging group	
ADR/RID: III IMDG: III	IATA: III
Environmental hazard	3
ADR/RID: no IMDG Ma	arine pollutant: no IATA: no
Special precautions fo	r user
No data available	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

United States Toxic Substances Control Act (TSCA) Inventory:Not Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Not Listed. website: https://emb.gov.ph/

Korea Existing Chemicals List (KECL):Not Listed. website: http://ncis.nier.go.kr

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CAS: Chemical Abstracts Service EC50: Effective Concentration 50% IATA: International Air Transportation Association IMDG: International Maritime Dangerous Goods LC50: Lethal Concentration 50% LD50: Lethal Dose 50% RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.