# Chemical Safety Data Sheet MSDS / SDS

# Tosyl chloride

Revision Date: 2024-12-21 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Tosyl chloride

CBnumber : CB6328607

CAS : 98-59-9

EINECS Number : 202-684-8

Synonyms : TsCl,P-toluenesulfonyl chloride

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

# Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

# Hazard statements

H318 Causes serious eye damage

H315 Causes skin irritation

H314 Causes severe skin burns and eye damage

# SECTION 3: Composition/information on ingredients

### Substance

Product name : Tosyl chloride

Synonyms : TsCl,P-toluenesulfonyl chloride

CAS : 98-59-9
EC number : 202-684-8
MF : C7H7ClO2S
MW : 190.65

# SECTION 4: First aid measures

# Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

# **Extinguishing media**

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Special hazards arising from the substance or mixture

Carbon oxides, Sulphur oxides, Hydrogen chloride gas Carbon oxides, Sulphur oxides, Hydrogen chloride gas Combustible.

# Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.


### **Further information**

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.

#### **NFPA 704**

SPEC.

П



# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

# **Environmental precautions**

Do not let product enter drains.

# Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

formed. For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

Store under inert gas. Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

Store under inert gas. Moisture sensitive.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N100 (US) or type P3 (EN 143)

respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	white, to, grey crystalline
Odour	characteristic
Odour Threshold	No data available
рН	strongly acid
Melting point/freezing point	Melting point/range: 65 - 69 °C - lit. 134 °C at 13 hPa - lit.
Initial boiling point and boiling range	134 °C at 13 hPa - lit.
Flash point	128 °C - c.c.
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	0,00 hPa at 20 °C
Vapour density	No data available
Relative density	1,492 g/cm3 at 20 °C
Water solubility	Hydrolysis
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

Bulk density 800 kg/m3

# SECTION 10: Stability and reactivity

# Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

No data available

#### Conditions to avoid

Exposure to moisture

# Incompatible materials

Metals, Strong oxidizing agents

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Hydrogen chloride gas

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Hydrogen chloride gas

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 4.680 mg/kg (OECD Test Guideline 401)

### Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 24 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. (OECD Test Guideline 405)

# Respiratory or skin sensitisation

(OECD Test Guideline 429)

# Germ cell mutagenicity

In vitro mammalian cell gene mutation test Mouse lymphoma test

Result: positive

OECD Test Guideline 474

Mouse - male - Red blood cells (erythrocytes) Result: negative

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - Lowest observed adverse effect level - 150 mg/kg

RTECS: DB8929000

spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Blistering, Lachrymation, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **Toxicity**

LD50 orally in Rabbit: 4680 mg/kg

# **SECTION 12: Ecological information**

# **Toxicity**

### Toxicity to fish

static test LC50 - Oryzias latipes (Orange-red killifish) - > 100 mg/l

- 96 h

(OECD Test Guideline 203)

### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 334 mg/l - 48 h (OECD Test Guideline 202)

#### Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h

(US-EPA)

static test NOEC - Pseudokirchneriella subcapitata (green algae) - 2,6 mg/l - 72 h

(US-EPA)

# Toxicity to bacteria

static test NOEC - activated sludge - 580 mg/l - 3 h

(OECD Test Guideline 209)

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 60 % - Readily biodegradable. (OECD Test Guideline 301D)

# Bioaccumulative potential

No data available

# Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or

mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

# **UN** number

ADR/RID: 3261 IMDG: 3261 IATA: 3261

### **UN proper shipping name**

 $ADR/RID: CORROSIVE \ SOLID, \ ACIDIC, \ ORGANIC, \ N.O.S. \ (Tosyl \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ ACIDIC, \ ORGANIC, \ N.O.S. \ (Tosyl \ Corrosive \ Solid) \ ACIDIC, \ ORGANIC, \ O$ 

chloride)

IATA: Corrosive solid, acidic, organic, n.o.s. (Tosyl chloride)

# Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

# **Packaging group**

ADR/RID: III IMDG: III IATA: III

# **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

# Special precautions for user

No data available

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZloC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

 $http://www.echemportal.org/echemportal/index?pageID=0\&request\_locale=en$ 

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### Other Information

Reacts violently with fire extinguishing agents such as water and foam.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.