# Chemical Safety Data Sheet MSDS / SDS

# tert-Butyl ethyl ether

Revision Date:2024-04-27 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name	: tert-Butyl ethyl ether		
CBnumber	: CB1689477		
CAS	: 637-92-3		
EINECS Number	: 211-309-7		
Synonyms	: ETBE,Tert-butyl ethyl ether		
Relevant identified uses of the substance or mixture and uses advised against			
Relevant identified uses of the s	ubstance or mixture and uses advised against		
Relevant identified uses of the s	<b>:</b> For R&D use only. Not for medicinal, household or other use.		
	C		

Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 400-158-6606

# SECTION 2: Hazards identification

#### GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

#### Continuerinsing.

P370+P378 In case of fire: Use ... for extinction.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container to.....
Hazard statements
H225 Highly Flammable liquid and vapour
H315 Causes skin irritation
H319 Causes serious eye irritation
H331 Toxic if inhaled
H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

### SECTION 3: Composition/information on ingredients

#### Substance

: tert-Butyl ethyl ether
: ETBE,Tert-butyl ethyl ether
: 637-92-3
: 211-309-7
: C6H14O
: 102.17

### SECTION 4: First aid measures

#### Description of first aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

#### **Extinguishing media**

#### Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

#### Special hazards arising from the substance or mixture

Carbon oxides


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

#### **NFPA 704**



HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <u>acetone</u> )
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)
SPEC. HAZ.		

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### **Reference to other sections**

For disposal see section 13.

# SECTION 7: Handling and storage

#### Precautions for safe handling

#### Advice on safe handling

Avoid inhalation of vapor or mist.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as

#### NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact

Material: Ntrile rubber Minimum layer thickness: 0,4 mm Break through time: 480 min Material tested:Camatril? (KCL 730 / Aldrich Z677442, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 33 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** 

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Appearance	colorless clear, liquid
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: -97 °C - lit.
Initial boiling point and boiling range	72 - 73 °C - lit.
Flash point	-19 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	1.23-7.7%(V)
limits	

Vapour pressure	207 hPa at 25 °C
Vapour density	No data available
Relative density	0,75 at 15 °C
Water solubility	14,3 g/l at 25,00 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	log Pow: 1,48 at 25 °C
Autoignition temperature	392 °C at 1003,40 - 1009,20 hPa
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 0,53 mm2/s at 20 °C Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

#### Other safety information

Surface tension 72,1 mN/m at 21 °C

# SECTION 10: Stability and reactivity

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

Strong oxidizing agents

#### Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

#### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - > 2.003 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 5,88 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation - 4 h (OECD Test Guideline 405) Respiratory or skin sensitization (OECD Test Guideline 406) Germ cell mutagenicity Ames test S. typhimurium Result: negative Ames test Salmonella typhimurium Result: negative unscheduled DNA synthesis assay Escherichia coli Result: positive Rat - male and female - Bone marrow Result: negative Remarks: (ECHA) Rat - male and female - Bone marrow Result: negative Remarks: (ECHA) Carcinogenicity IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **Reproductive toxicity** No data available Specific target organ toxicity - single exposure Inhalation - May cause drowsiness or dizziness. - Central nervous system Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available

# SECTION 12: Ecological information

#### Toxicity

### Toxicity to fish semi-static test LC50 - Poecilia reticulata (guppy) - > 974,1 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 110 mg/l - 48 h (OECD Test Guideline 202)

#### Toxicity to algae

static test NOEC - Pseudokirchneriella subcapitata (green algae) - 7,5 mg/l - 72 h

(OECD Test Guideline 201)

static test EC50 - Pseudokirchneriella subcapitata (algae) - 1.100 mg/l - 72 h

(OECD Test Guideline 201)

#### Toxicity to bacteria

static test EC50 - Pseudomonas putida - 510 mg/l - 16 h (ISO 10712) static test NOEC - Pseudomonas putida - 78 mg/l - 16 h (ISO 10712)

#### Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 94,16 % - Readily biodegradable. (OECD Test Guideline 301D)

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

No data available

# SECTION 13: Disposal considerations

#### Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### **UN number**

ADR/RID: 3271 IMDG: 3271 IATA: 3271

#### UN proper shipping name

ADR/RID: ETHERS, N.O.S. (2-Ethoxy-2-methylpropane) IMDG: ETHERS, N.O.S. (2-Ethoxy-2-methylpropane) IATA: Ethers, n.o.s.

(2-Ethoxy-2-methylpropane)

	Transport hazard class(es)	
	ADR/RID: 3 IMDG: 3	IATA:
		3
14.4	Packaging group	
14.4	ADR/RID: II IMDG: II	iata: II
	Environmental hazards	
14.	5	IATA:
	ADR/RID: no IMDG Marine pollutant: no	no
444	Special precautions for user	
14.6	o No data available	

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZloC):Listed. website: https://www.epa.govt.nz/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Not Listed. website: https://www.mee.gov.cn/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Not Listed. website: https://emb.gov.ph/

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- CAS: Chemical Abstracts Service
- EC50: Effective Concentration 50%
- IATA: International Air Transportation Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### **Other Information**

Check for peroxides prior to distillation; eliminate if found.

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.